

Trade Name:

AlphaLISA SureFire® Ultra™ Detection Kit

Human and Mouse Phospho-Histone H3 (Ser10/Thr11) Detection Kit



Article numbers:

ALSU-PHISH3-A500 ALSU-PHISH3-A10K ALSU-PHISH3-A50K ALSU-PHISH3-A-HV ALSU-PHISH3-A-L

Components and Hazard Identification in ALSU assay kits.

| Kit Components | Vol / 100 point | Vol / 500 point | Vol / 10,000 point | Vol / 50,000 point | Hazard Identification | |
|---|--------------------|--------------------|-----------------------|-----------------------|-----------------------|----------------|
| Lysis Buffer C (5X) | 1 x 12 mL | 1 x 12 mL | 4 x 60 mL | 3 x 400 mL | N/A; | EUH208, EUH210 |
| Activation Buffer B | 1 x 0.3 mL | 1 x 0.8 mL | 1 x 10 mL | 1 x 50 mL | N/A; | EUH208, EUH210 |
| Dilution Buffer | 1 x 1.8 mL | 1 x 3 mL | 1 x 60 mL | 1 x 300 mL | N/A; | EUH208, EUH210 |
| Reaction Buffer 1 - Ultra | 1 x 0.9 mL | 1 x 1.5 mL | 1 x 28 mL | 1 x 140 mL | N/A; | EUH208, EUH210 |
| Reaction Buffer 2 - Ultra | 1 x 0.9 mL | 1 x 1.5 mL | 1 x 28 mL | 1 x 140 mL | N/A; | EUH208, EUH210 |
| AlphaLISA® CaptS <i>ure</i> ™ Acceptor Beads (2 mg/mL) | 1 x 0.045mL | 1 x 0.06 mL | 1 x 1.1 mL | 1 x 5.5 mL | N/A; | EUH208, EUH210 |
| Alpha Streptavidin Donor Beads (2 mg/mL) | 1 x 0.045mL | 1 x 0.06 mL | 1 x 1.1 mL | 1 x 5.5 mL | N/A; | N/A; |
| Positive Control Lysate (lyophilized) | 1 x 250uL | 1 x 250uL | 1 x 250uL | 1 x 250uL | N/A; | EUH208, EUH210 |

Components and Hazard Identification for Individual Sale items

| Composition | | На | Hazards identification | | |
|--|--|------------|------------------------|--|--|
| ALSU-AB-100ml ALSU-AB-10ml | Activation Buffer | <u>(1)</u> | GHS07; H319, EUH208 | | |
| ALSU-ABB-100ml ALSU-ABB-10ml | Activation Buffer B | N/A; | EUH208, EUH210 | | |
| ALSU-ABC-100ml ALSU-ABC-10ml | Activation Buffer C | | GHS05; H318, EUH208 | | |
| ALSU-DB-100ml ALSU-DB-10ml | Dilution Buffer | N/A; | EUH208, EUH210 | | |
| ALSU-LB-100mL ALSU-LB-10mL | Lysis Buffer (5x) | () | GHS07; H319, EUH208 | | |
| ALSU-LBB-100mL ALSU-LBB-10mL | Lysis Buffer B (5x) | N/A; | EUH208, EUH210 | | |
| ALSU-LBC-100mL ALSU-LBC-10mL | Lysis Buffer C (5x) | N/A; | EUH208, EUH210 | | |
| ALSU-***-A-L | Positive Control Lysate | N/A; | EUH208, EUH210 | | |
| ALSU-ACAB-0.06mL ALSU-ACAB-1.2mL ALSU-ACAB-6mL | AlphaLISA® CaptSure ™ Acceptor Beads (2 mg/mL) | N/A; | EUH208, EUH210 | | |
| ALSU-ASDB-0.06mL ALSU-ASDB-1.2mL ALSU-ASDB-6mL | Alpha Streptavidin Donor Beads (2 mg/mL) | N/A; | N/A; | | |

^{*** =} assay target name





Revvity, Inc.

940 Winter Street

(800) 762-4000

For a complete listing of our global offices, visit www.revvity.com

www.revvity.com

Copyright ©2023, Revvity, Inc. All rights reserved.

Waltham, MA 02451 USA



Activation Buffer B - Ultra TGR BioSciences Pty Ltd.

Chemwatch: 5555-11 Version No: 4.1 Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878) Issue Date: 25/10/2022 Print Date: 02/11/2023 S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

| Product name | Activation Buffer B - Ultra | | |
|-------------------------------|-----------------------------|--|--|
| Chemical Name | Not Applicable | | |
| Synonyms | lot Available | | |
| Chemical formula | Not Applicable | | |
| Other means of identification | Not Available | | |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. | | |
|--------------------------|--|--|--|
| Uses advised against | No specific uses advised against are identified. | | |

1.3. Details of the manufacturer or supplier of the safety data sheet

| Registered company name | TGR BioSciences Pty Ltd. | | |
|-------------------------|---|--|--|
| Address | Address (an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia | | |
| Telephone | +61 8 7228 2141 | | |
| Fax | Not Available | | |
| Website | www.tgrbio.com | | |
| Email | ADE.info@abcam.com | | |

1.4. Emergency telephone number

| Association / Organisation | Chemtrec Aus/North America/Revvity | |
|-----------------------------------|------------------------------------|--|
| Emergency telephone numbers | +61 2 9037 2994 | |
| Other emergency telephone numbers | +1 703 527 3887 | |

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

| Classification according to regulation (EC) No 1272/2008 | Not Applicable |
|--|----------------|
| [CLP] and amendments [1] | |

2.2. Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
| | |
| Signal word | Not Applicable |

Hazard statement(s)

Not Applicable

Supplementary statement(s)

| | cuppionicitally citatemicin(c) | |
|---|--------------------------------|--|
| EUH208 Contains CMIT/MIT 3:1. May produce an allergic reaction. | | Contains CMIT/MIT 3:1. May produce an allergic reaction. |
| | EUH210 | Safety data sheet available on request. |

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Page 2 of 9

Activation Buffer B - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

| 1. CAS No 2.EC No 3.Index No 4.REACH No | % [weight] | Name | Classification according to regulation (EC) No 1272/2008 [CLP] and amendments | SCL / M-Factor | Nanoform Particle Characteristics |
|--|---------------|--|---|---|---|
| 1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available | <0.01 | isothiazolinones, mixed | Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Acute Toxicity (Inhalation) Category 2, Skin Corrosion/Irritation Category 1C, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1A, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H330, H314, H318, H317, H400, H410 [2] | Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % M=100 M=100 | Not Available |
| Not Available | balance | Ingredients determined not to be hazardous | Not Applicable | Not Applicable | Not Available |
| Legend: 1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties | | | vn from C&L * EU | | |

SECTION 4 First aid measures

4.1. Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|--|
| Skin Contact | If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

▶ foam

5.2. Special hazards arising from the substrate or mixture

| ole openial natural and anomy normal observation infliction | | | | |
|---|-------------|--|--|--|
| Fire Incompatibility | None known. | | | |
| | | | | |

| Fire Fighting | Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. |
|-----------------------|--|
| Fire/Explosion Hazard | The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposes on heating and produces toxic fumes of: |

Chemwatch: 5555-11 Issue Date: 25/10/2022 Page 3 of 9 Version No: 4.1 Print Date: 02/11/2023

Activation Buffer B - Ultra

carbon dioxide (CO2) nitrogen oxides (NOx) other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

| Minor Spills | Spills Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. | |
|--------------|---|--|
| Major Spills | Minor hazard. ▶ Clear area of personnel. ▶ Alert Fire Brigade and tell them location and nature of hazard. ▶ Control personal contact with the substance, by using protective equipment as required. | |

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

| roduction for out of unitarity | | |
|--------------------------------|--|--|
| Safe handling | Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. | |
| Fire and explosion protection | See section 5 | |
| Other information | Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. | |

7.2. Conditions for safe storage, including any incompatibilities

| Suit | table container | Plastic tube or Plastic Bottle Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. |
|------------------------------------|---|---|
| Storage i | incompatibility | None known |
| accordance w | d categories in vith Regulation) No 1272/2008 | Not Available |
| of dangerous s referred to in A | antity (tonnes) substances as Article 3(10) for application of | Not Available |

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

| Ingredient | DNELs Exposure Pattern Worker | PNECs Compartment |
|-------------------------|---|--|
| isothiazolinones, mixed | Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) * | 3.39 µg/L (Water (Fresh)) 3.39 µg/L (Water - Intermittent release) 3.39 µg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP) |

^{*} Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Not Available |

Not Applicable

Emergency Limits

Version No: 4.1

Activation Buffer B - Ultra

Issue Date: 25/10/2022 Print Date: 02/11/2023

| Ingredient | TEEL-1 | TEEL-2 | | TEEL-3 |
|-----------------------------|---------------|---------------|---------------|---------------|
| Activation Buffer B - Ultra | Not Available | Not Available | | Not Available |
| Ingredient | Original IDLH | | Revised IDLH | |
| isothiazolinones, mixed | Not Available | | Not Available | |

Occupational Exposure Banding

| Ingredient | Occupational Exposure Band Rating | Occupational Exposure Band Limit | |
|-------------------------|--|----------------------------------|--|
| isothiazolinones, mixed | E | ≤ 0.1 ppm | |
| Notes: | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health. | | |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment









Eye and face protection

Safety glasses with side shields

- Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

Hands/feet protection

Wear general protective gloves, eg. light weight rubber gloves.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to

manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.

Body protection

See Other protection below

No special equipment needed when handling small quantities.

Other protection

- OTHERWISE: Overalls.
 - Barrier cream. Eyewash unit.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | Liquid. | | |
|--|----------------|---|----------------|
| Appearance | Liquid. | | |
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n- octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | Not Available | Decomposition temperature (°C) | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |

Activation Buffer B - Ultra

Page 5 of 9 Issue Date: 25/10/2022 Print Date: 02/11/2023

| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |
|--------------------------|---------------|--------------------------------------|---------------|
| Nanoform Solubility | Not Available | Nanoform Particle Characteristics | Not Available |
| Particle Size | Not Available | | |

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

| 10.1.Reactivity | See section 7.2 |
|--|---|
| 10.2. Chemical stability | Product is considered stable and hazardous polymerisation will not occur. |
| 10.3. Possibility of hazardous reactions | See section 7.2 |
| 10.4. Conditions to avoid | See section 7.2 |
| 10.5. Incompatible materials | See section 7.2 |
| 10.6. Hazardous decomposition products | See section 5.3 |

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. | | |
|--------------|---|------------|--|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. | | |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using anima models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. | | |
| Eye | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). | | |
| Chronic | Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. | | |
| | TOXICITY | IRRITATION | |

| Activation Buffer B - Ultra | TOXICITY | IRRITATION | |
|-----------------------------|--|---|--|
| | Not Available | Not Available | |
| | TOXICITY | IRRITATION | |
| | dermal (rat) LD50: >1008 mg/kg ^[1] | Eye: adverse effect observed (irreversible damage) ^[1] | |
| isothiazolinones, mixed | Inhalation(Rat) LC50: 0.171 mg/l4h ^[1] | Skin: adverse effect observed (corrosive) ^[1] | |
| | Oral (Rat) LD50: 53 mg/kg ^[2] | Skin: adverse effect observed (irritating) ^[1] | |
| Legend: | Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances | | |

The following information refers to contact allergens as a group and may not be specific to this product.

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.

In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance.

Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by nonprofessional users.

ISOTHIAZOLINONES, MIXED

Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde-releasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations containing amines.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

| Activation Buffer B - Ultra & ISOTHIAZOLINONES, MIXED | No significant acute toxicological data identified in literature search. | | | |
|---|--|-----------------|-----------|--|
| Acute Toxicity | × | Carcinogenicity | × | |
| Skin Irritation/Corrosion | × | Reproductivity | × | |
| | | | Continued | |

Chemwatch: 5555-11

Activation Buffer B - Ultra

Issue Date: 25/10/2022 Page 6 of 9 Print Date: 02/11/2023

| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × |
|-----------------------------------|---|--------------------------|---|
| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × |
| Mutagenicity | × | Aspiration Hazard | × |

Legend:

X − Data either not available or does not fill the criteria for classification
 y − Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

Version No: 4.1

SECTION 12 Ecological information

12.1. Toxicity

| Activation Buffer B - Ultra | Endpoint | Test Duration (hr) | Species | Value | Source |
|-----------------------------|------------------|--------------------|-------------------------------|------------------|------------------|
| | Not Available | Not Available | Not Available | Not Available | Not Available |
| isothiazolinones, mixed | Endpoint | Test Duration (hr) | Species | Value | Source |
| | LC50 | 96h | Fish | 0.129mg/l | 2 |
| | EC50 | 72h | Algae or other aquatic plants | 0.006mg/L | 2 |
| | EC50 | 48h | Crustacea | 0.007mg/l | 2 |
| | EC50 | 96h | Algae or other aquatic plants | 0.036mg/L | 2 |
| | NOEC(ECx) | 48h | Algae or other aquatic plants | <0.001mg/L | 2 |

Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

12.2. Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|---------------------------------------|---------------------------------------|
| | No Data available for all ingredients | No Data available for all ingredients |

12.3. Bioaccumulative potential

| Ingredient | Bioaccumulation | |
|------------|---------------------------------------|--|
| | No Data available for all ingredients | |

12.4. Mobility in soil

| Ingredient | Mobility | |
|------------|---------------------------------------|--|
| | No Data available for all ingredients | |

12.5. Results of PBT and vPvB assessment

| | P | В | T | |
|-------------------------|---------------|---------------|---------------|--|
| Relevant available data | Not Available | Not Available | Not Available | |
| PBT | × | × | × | |
| vPvB | × | × | × | |
| PBT Criteria fulfilled? | | | | |
| vPvB | | | No | |

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

| Product / Packaging disposal | Consult State Land Waste Management Authority for disposal. |
|------------------------------|---|
| Waste treatment options | Not Available |
| Sewage disposal options | Not Available |

SECTION 14 Transport information

Page **7** of **9**

Activation Buffer B - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

Labels Required

| | Marine Pollutant | NO | | | | |
|---------|------------------------------|---|-------------|------------------------------|----------------|--|
| and t | ransport (ADR): NOT RE | GULATED FOR TRAN | SPORT O | F DANGEROUS GOODS | | |
| 14.1. | UN number or ID number | Not Applicable | | | | |
| 14.2. | UN proper shipping name | Not Applicable | | | | |
| 14.3. | Transport hazard | Class | Not Appli | cable | | |
| | class(es) | Subsidiary Hazard | Not Appli | cable | | |
| 14.4. | Packing group | Not Applicable | | | | |
| 14.5. | Environmental hazard | Not Applicable | | | | |
| | | Hazard identification | (Kemler) | Not Applicable | | |
| | | Classification code | , | Not Applicable | | |
| 14.6. | Special precautions for | Hazard Label | | Not Applicable | | |
| | user | Special provisions | | Not Applicable | | |
| | | Limited quantity | | Not Applicable | | |
| | | Tunnel Restriction C | ode | Not Applicable | | |
| | | | | | | |
| Air tra | nsport (ICAO-IATA / DGR |): NOT REGULATED | FOR TRAN | ISPORT OF DANGEROUS | GOODS | |
| 14.1. | UN number | Not Applicable | | | | |
| 14.2. | UN proper shipping name | Not Applicable | | | | |
| | | ICAO/IATA Class | | Not Applicable | | |
| 14.3. | Transport hazard | ICAO / IATA Subsidia | ary Hazard | Not Applicable | | |
| | class(es) | ERG Code | | Not Applicable | | |
| 14.4. | Packing group | Not Applicable | | | | |
| 14.5. | Environmental hazard | Not Applicable | | | | |
| | | Special provisions | | | Not Applicable | |
| | | Cargo Only Packing Instructions | | | Not Applicable | |
| | | Cargo Only Maximum Qty / Pack | | (| Not Applicable | |
| 14.6. | Special precautions for user | Passenger and Cargo Packing Instructions | | nstructions | Not Applicable | |
| | usei | Passenger and Cargo Maximum Qty / Pack | | Qty / Pack | Not Applicable | |
| | | Passenger and Carg | o Limited Q | uantity Packing Instructions | Not Applicable | |
| | | Passenger and Cargo Limited Maximum Qty / Pack Not Applicable | | | | |
| | | | | | | |
| | | - | TED FOR | TRANSPORT OF DANGE | ROUS GOODS | |
| | UN number | Not Applicable | | | | |
| 14.2. | UN proper shipping name | Not Applicable | | | | |
| 14.3. | Transport hazard | IMDG Class | No | t Applicable | | |
| | class(es) | IMDG Subsidiary Ha | zard No | t Applicable | | |
| 14.4. | Packing group | Not Applicable | | | | |
| | Environmental hazard | Not Applicable | | | | |
| 14.5 | | | | | | |
| 14.5 | | FMS Number | Not Applic | rahle | | |
| | Special precautions for | EMS Number | Not Applie | | | |
| | Special precautions for user | Special provisions Limited Quantities | Not Applic | cable | | |

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | lot Applicable | | | | |
|------------------------------------|--|--|--|--|--|
| 14.2. UN proper shipping name | Not Applicable | | | | |
| 14.3. Transport hazard class(es) | Not Applicable Not Applicable | | | | |
| 14.4. Packing group | Not Applicable | | | | |
| 14.5. Environmental hazard | Not Applicable | | | | |
| 14.6. Special precautions for user | Classification code Not Applicable Special provisions Not Applicable Limited quantity Not Applicable | | | | |
| | Equipment required Not Applicable | | | | |

Chemwatch: 5555-11

Activation Buffer B - Ultra

Page 8 of 9 Issue Date: 25/10/2022 Print Date: 02/11/2023

Fire cones number Not Applicable

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Version No: 4.1

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group |
|-------------------------|---------------|
| isothiazolinones, mixed | Not Available |

14.7.3. Transport in bulk in accordance with the IGC Code

| Product name | Ship Type |
|-------------------------|---------------|
| isothiazolinones, mixed | Not Available |

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

| Seveso Category | Not Available |
|-----------------|---------------|
|-----------------|---------------|

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

| National Inventory | Status |
|---|--|
| Australia - AIIC / Australia Non- Industrial Use | No (isothiazolinones, mixed) |
| Canada - DSL | Yes |
| Canada - NDSL | No (isothiazolinones, mixed) |
| China - IECSC | Yes |
| Europe - EINEC / ELINCS / NLP | No (isothiazolinones, mixed) |
| Japan - ENCS | No (isothiazolinones, mixed) |
| Korea - KECI | Yes |
| New Zealand - NZIoC | Yes |
| Philippines - PICCS | Yes |
| USA - TSCA | No (isothiazolinones, mixed) |
| Taiwan - TCSI | Yes |
| Mexico - INSQ | No (isothiazolinones, mixed) |
| Vietnam - NCI | Yes |
| Russia - FBEPH | Yes |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

SECTION 16 Other information

| Revision Date | 25/10/2022 |
|---------------|------------|
| Initial Date | 12/07/2022 |

Full text Risk and Hazard codes

| H301 | Toxic if swallowed. | |
|------|---|--|
| H310 | Fatal in contact with skin. | |
| H314 | Causes severe skin burns and eye damage. | |
| H317 | May cause an allergic skin reaction. | |
| H318 | Causes serious eye damage. | |
| H330 | Fatal if inhaled. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |

SDS Version Summary

| Version | Date of Update | Sections Updated |
|---------|----------------|------------------|
| 3.1 | 19/07/2022 | Name |

Version No: 4.1

Activation Buffer B - Ultra

Issue Date: 25/10/2022 Print Date: 02/11/2023

| Version | Date of Update | Sections Updated |
|---------|----------------|--|
| 4.1 | 25/10/2022 | Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility) |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- ▶ TLV: Threshold Limit Value
- LOD: Limit Of Detection
- ▶ OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- BEI: Biological Exposure IndexDNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ► EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- ▶ NLP: No-Longer Polymers
- ► ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
 NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ▶ TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
 FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



Dilution Buffer - Ultra TGR BioSciences Pty Ltd.

Chemwatch: **5555-18**Version No: **4.1**Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: **25/10/2022**Print Date: **02/11/2023**S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1 Product Identifier

| The round further | |
|-------------------------------|-------------------------|
| Product name | Dilution Buffer - Ultra |
| Chemical Name | Not Applicable |
| Synonyms | Dilution Buffer A |
| Chemical formula | Not Applicable |
| Other means of identification | Not Available |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | • |
|--------------------------|--|
| Relevant identified uses | Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions. |
| Uses advised against | No specific uses advised against are identified. |

1.3. Details of the manufacturer or supplier of the safety data sheet

| Registered company name | TGR BioSciences Pty Ltd. | |
|-------------------------|---|--|
| Address | (an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia | |
| Telephone | +61 8 7228 2141 | |
| Fax | Not Available | |
| Website | www.tgrbio.com | |
| Email | ADE.info@abcam.com | |

1.4. Emergency telephone number

| Association / Organisation | Chemtrec Aus/North America/Revvity | |
|-----------------------------------|------------------------------------|--|
| Emergency telephone numbers | +61 2 9037 2994 | |
| Other emergency telephone numbers | +1 703 527 3887 | |

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

| Classification according to regulation (EC) No 1272/2008 | Not Applicable |
|--|----------------|
| [CLP] and amendments [1] | |

2.2. Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
| Signal word | Not Applicable |

Hazard statement(s)

Not Applicable

Supplementary statement(s)

| | • | . , , | |
|---------------|---|--------|--|
| EUH208 | | EUH208 | Contains CMIT/MIT 3:1. May produce an allergic reaction. |
| EUH210 | | EUH210 | Safety data sheet available on request. |

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Page 2 of 9 **Dilution Buffer - Ultra** Issue Date: 25/10/2022 Print Date: 02/11/2023

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

| 1. CAS No 2.EC No 3.Index No 4.REACH No | % [weight] | Name | Classification according to regulation (EC) No 1272/2008 [CLP] and amendments | SCL / M-Factor | Nanoform Particle Characteristics |
|--|---|---|---|------------------|---|
| 1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available 3.613-167-00-5 4.Not Available | | Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Acute Toxicity (Inhalation) Category 2, Skin Corrosion/Irritation Category 1C, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1A, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H330, H314, H318, H317, H400, H410 [2] | city (Inhalation) 0,6 % Skin Irrit. 2; tion Category 1C, on Category 1, 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; Not Averaged Category 1, Norment Long-Term 0,6 % Skin Sens. 1A; H317: | | |
| Not Available | balance | Ingredients determined not to be hazardous | Not Applicable | Not Applicable | Not Available |
| Legend: | d: 1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties | | | vn from C&L * EU | |

4.1. Description of first aid measures

SECTION 4 First aid measures

| Eye Contact | If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|---|--|
| Skin Contact If skin or hair contact occurs: | |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water.First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam.

5.2. Special hazards arising from the substrate or mixture

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result Fire Incompatibility

5.3. Advice for firefighters

| - | |
|-----------------------|--|
| Fire Fighting | Use water delivered as a fine spray to control fire and cool adjacent area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. |
| Fire/Explosion Hazard | The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposition may produce toxic fumes of: |

Chemwatch: 5555-18

Dilution Buffer - Ultra

Page 3 of 9 Issue Date: 25/10/2022 Version No: 4.1 Print Date: 02/11/2023

> carbon dioxide (CO2) other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

| Minor Spills Minor Spills Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. | |
|---|---|
| Major Spills | Minor hazard. ▶ Clear area of personnel. ▶ Alert Fire Brigade and tell them location and nature of hazard. ▶ Control personal contact with the substance, by using protective equipment as required. |

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

| Safe handling Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. | | |
|--|---------------|--|
| Fire and explosion protection | See section 5 | |
| Other information • Store in original containers. • Keep containers securely sealed. • Store in a cool, dry, well-ventilated area. • Store away from incompatible materials and foodstuff containers. | | |

7.2. Conditions for safe storage, including any incompatibilities

| Suitable container Plastic tube or plastic bottle. Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. | | |
|--|--------------------------------------|--|
| Storage incompatibility | Avoid reaction with oxidising agents | |
| Hazard categories in accordance with Regulation (EC) No 1272/2008 | Not Available | |
| Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of | Not Available | |

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

| Ingredient | DNELs Exposure Pattern Worker | PNECs Compartment |
|-------------------------|---|--|
| isothiazolinones, mixed | Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) * | 3.39 µg/L (Water (Fresh)) 3.39 µg/L (Water - Intermittent release) 3.39 µg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP) |

^{*} Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Not Available |

Not Applicable

| Emergency | Limite |
|-----------|--------|

| Emorgency Emilio | | | | | | |
|------------------|--------|--------|--------|--|--|--|
| Ingredient | TEEL-1 | TEEL-2 | TEEL-3 | | | |

Dilution Buffer - Ultra

Issue Date: 25/10/2022 Print Date: 02/11/2023

| Ingredient | TEEL-1 | TEEL-2 | | TEEL-3 |
|-------------------------|---------------|---------------|---------------|---------------|
| Dilution Buffer - Ultra | Not Available | Not Available | | Not Available |
| Ingredient | Original IDLH | | Revised IDLH | |
| isothiazolinones, mixed | Not Available | | Not Available | |

Occupational Exposure Banding

| Ingredient | Occupational Exposure Band Rating Occupational Exposure Band Limit | |
|-------------------------|--|--|
| isothiazolinones, mixed | E ≤ 0.1 ppm | |
| Notes: | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health. | |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment









Eye and face protection

- Safety glasses with side shields
- Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

Hands/feet protection

Wear general protective gloves, eg. light weight rubber gloves.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to

manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.

Body protection

See Other protection below

No special equipment needed when handling small quantities. OTHERWISE:

Other protection

- Barrier cream. Eyewash unit.

Overalls.

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls

See section 12

Respiratory protection

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | Clear liquid. | | |
|--|----------------|---|----------------|
| • | · | | |
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n- octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | Not Available | Decomposition temperature (°C) | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| | | | |

Dilution Buffer - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |
|--------------------------|---------------|--------------------------------------|---------------|
| Nanoform Solubility | Not Available | Nanoform Particle Characteristics | Not Available |
| Particle Size | Not Available | | |

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

| 10.1.Reactivity | See section 7.2 |
|--|---|
| 10.2. Chemical stability | Product is considered stable and hazardous polymerisation will not occur. |
| 10.3. Possibility of hazardous reactions | See section 7.2 |
| 10.4. Conditions to avoid | See section 7.2 |
| 10.5. Incompatible materials | See section 7.2 |
| 10.6. Hazardous decomposition products | See section 5.3 |

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Inhaled models) occupat Ingestion The ma of corro Skin Contact The ma models) occupat | naterial is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal ls). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an attended setting. Interial has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack roborating animal or human evidence. Interial is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal ls). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an |
|---|---|
| Ingestion of corro The ma Skin Contact models) occupat | roborating animal or human evidence. naterial is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal |
| Skin Contact models) occupat | |
| Althoug | ational setting. |
| | igh the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient mfort characterised by tearing or conjunctival redness (as with windburn). |
| | term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using all models); nevertheless exposure by all routes should be minimised as a matter of course. |

| Dilution Buffer - Ultra | TOXICITY | IRRITATION |
|-------------------------|--|--|
| | Not Available | Not Available |
| | TOXICITY | IRRITATION |
| | dermal (rat) LD50: >1008 mg/kg ^[1] | Eye: adverse effect observed (irreversible damage) ^[1] |
| isothiazolinones, mixed | Inhalation(Rat) LC50: 0.171 mg/l4h ^[1] | Skin: adverse effect observed (corrosive) ^[1] |
| | Oral (Rat) LD50: 53 mg/kg ^[2] | Skin: adverse effect observed (irritating) ^[1] |
| Legend: | Value obtained from Europe ECHA Registered Substa specified data extracted from RTECS - Register of Toxic | nces - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise Effect of chemical Substances |

The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.

In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance.

Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non-professional users. No significant acute toxicological data identified in literature search.

ISOTHIAZOLINONES, MIXED

Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde-releasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations containing amines.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

| Acute Toxicity | × | Carcinogenicity | × |
|----------------------------------|---|------------------------|---|
| Skin Irritation/Corrosion | × | Reproductivity | × |
| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × |

Dilution Buffer - Ultra

Issue Date: **25/10/2022** Print Date: **02/11/2023**

Respiratory or Skin sensitisation

Mutagenicity

X

STOT - Repeated Exposure

X

Aspiration Hazard

Legend:

X − Data either not available or does not fill the criteria for classification
 ✓ − Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

| | Endpoint | Test Duration (hr) | Species | Value | Source |
|-------------------------|------------------|--------------------|---|------------------|------------------|
| Dilution Buffer - Ultra | Not Available | Not Available | Not Available | Not Available | Not Available |
| | Endpoint | Test Duration (hr) | Species | Value | Source |
| isothiazolinones, mixed | LC50 | 96h | Fish | 0.129mg/l | 2 |
| | EC50 | 72h | Algae or other aquatic plants | 0.006mg/L | 2 |
| | EC50 | 48h | Crustacea | 0.007mg/l | 2 |
| | EC50 | 96h | Algae or other aquatic plants | 0.036mg/L | 2 |
| | NOEC(ECx) | 48h | Algae or other aquatic plants | <0.001mg/L | 2 |
| Legend: | Ecotox databas | | CHA Registered Substances - Ecotoxicological Inform C Aquatic Hazard Assessment Data 6. NITE (Japan) | | |

12.2. Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|---------------------------------------|---------------------------------------|
| | No Data available for all ingredients | No Data available for all ingredients |

12.3. Bioaccumulative potential

| Ingredient | Bioaccumulation |
|------------|---------------------------------------|
| | No Data available for all ingredients |

12.4. Mobility in soil

| Ingredient | Mobility |
|------------|---------------------------------------|
| | No Data available for all ingredients |

12.5. Results of PBT and vPvB assessment

| | Р | В | Т | |
|-------------------------|---------------|---------------|---------------|--|
| Relevant available data | Not Available | Not Available | Not Available | |
| PBT | × | × | × | |
| vPvB | × | × | × | |
| PBT Criteria fulfilled? | | | No | |
| vPvB | | | No | |

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

| 10.1. Waste treatment methods | | |
|-------------------------------|--|--|
| Product / Packaging disposal | onsult State Land Waste Management Authority for disposal. | |
| Waste treatment options | Not Available | |
| Sewage disposal options | Not Available | |

SECTION 14 Transport information

Labels Required

| Marine Pollutant | NC |
|------------------|----|
|------------------|----|

Dilution Buffer - Ultra

Issue Date: 25/10/2022 Print Date: 02/11/2023

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number or ID number | Not Applicable | |
|------------------------------------|---------------------------|----------------------|
| 14.2. UN proper shipping name | Not Applicable | |
| 4.3. Transport hazard | Class N | ot Applicable |
| class(es) | Subsidiary Hazard N | ot Applicable |
| 14.4. Packing group | Not Applicable | |
| 4.5. Environmental hazard | Not Applicable | |
| | Hazard identification (Ke | mler) Not Applicable |
| | Classification code | Not Applicable |
| 14.6. Special precautions for user | Hazard Label | Not Applicable |
| | Special provisions | Not Applicable |
| | Limited quantity | Not Applicable |
| | Tunnel Restriction Code | Not Applicable |

| 14.1. UN number | Not Applicable | | | |
|------------------------------------|---|----------------|----------------|--|
| 14.2. UN proper shipping name | Not Applicable | | | |
| | ICAO/IATA Class | Not Applicable | | |
| 14.3. Transport hazard class(es) | ICAO / IATA Subsidiary Hazard | Not Applicable | | |
| 01455(05) | ERG Code | Not Applicable | | |
| 14.4. Packing group | Not Applicable | | | |
| 14.5. Environmental hazard | Not Applicable | | | |
| | Special provisions | | Not Applicable | |
| | Cargo Only Packing Instructions | | Not Applicable | |
| 14.6. Special precautions for user | Cargo Only Maximum Qty / Pack | | Not Applicable | |
| | Passenger and Cargo Packing Instructions | | Not Applicable | |
| | Passenger and Cargo Maximum Qty / Pack | | Not Applicable | |
| | Passenger and Cargo Limited Quantity Packing Instructions | | Not Applicable | |
| | Passenger and Cargo Limited Maximum Qty / Pack | | Not Applicable | |

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | Not Applicable | |
|------------------------------------|---------------------------------|--|--|
| 14.2. UN proper shipping name | Not Applicable | | |
| 14.3. Transport hazard class(es) | IMDG Class IMDG Subsidiary Haza | Not Applicable Not Applicable | |
| 14.4. Packing group | Not Applicable | | |
| 14.5 Environmental hazard | Not Applicable | | |
| 14.6. Special precautions for user | Special provisions | Not Applicable Not Applicable Not Applicable | |

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | |
|------------------------------------|---|--|
| 14.2. UN proper shipping name | Not Applicable | |
| 14.3. Transport hazard class(es) | Not Applicable Not Applicable | |
| 14.4. Packing group | Not Applicable | |
| 14.5. Environmental hazard | Not Applicable | |
| 14.6. Special precautions for user | Classification code Not Applicable Special provisions Not Applicable Limited quantity Not Applicable Equipment required Not Applicable Fire cones number Not Applicable | |

Dilution Buffer - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group |
|-------------------------|---------------|
| isothiazolinones, mixed | Not Available |

14.7.3. Transport in bulk in accordance with the IGC Code

| Product name | Ship Type |
|-------------------------|---------------|
| isothiazolinones, mixed | Not Available |

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

| Seveso Category | Not Available |
|-----------------|---------------|
|-----------------|---------------|

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

| National Inventory | Status |
|---|--|
| Australia - AIIC / Australia Non- Industrial Use | No (isothiazolinones, mixed) |
| Canada - DSL | Yes |
| Canada - NDSL | No (isothiazolinones, mixed) |
| China - IECSC | Yes |
| Europe - EINEC / ELINCS / NLP | No (isothiazolinones, mixed) |
| Japan - ENCS | No (isothiazolinones, mixed) |
| Korea - KECI | Yes |
| New Zealand - NZIoC | Yes |
| Philippines - PICCS | Yes |
| USA - TSCA | No (isothiazolinones, mixed) |
| Taiwan - TCSI | Yes |
| Mexico - INSQ | No (isothiazolinones, mixed) |
| Vietnam - NCI | Yes |
| Russia - FBEPH | Yes |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

SECTION 16 Other information

| Revision Date | 25/10/2022 |
|---------------|------------|
| Initial Date | 13/07/2022 |

Full text Risk and Hazard codes

| H301 | Toxic if swallowed. | | | |
|------|---|--|--|--|
| H310 | Fatal in contact with skin. | | | |
| H314 | Causes severe skin burns and eye damage. | | | |
| H317 | May cause an allergic skin reaction. | | | |
| H318 | Causes serious eye damage. | | | |
| H330 | Fatal if inhaled. | | | |
| H400 | Very toxic to aquatic life. | | | |
| H410 | Very toxic to aquatic life with long lasting effects. | | | |

SDS Version Summary

| Version | Date of Update | Sections Updated |
|---------|-------------------|---|
| 3.1 | 16/08/2022 | Name |
| 4.1 | 25/10/2022 | Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility), Identification of the substance / mixture and of the company / undertaking - Synonyms |

Version No: 4.1

Dilution Buffer - Ultra

Issue Date: 25/10/2022 Print Date: 02/11/2023

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eve-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
 PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ▶ ES: Exposure Standard
- ▶ OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ► ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ► ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ▶ TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



Lysis Buffer B (5X) - Ultra TGR BioSciences Pty Ltd.

Chemwatch: 5555-07 Version No: 6.1 Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878) Issue Date: 25/10/2022 Print Date: 02/11/2023 S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

| 1 | .1 | . P | rod | uct | Id | en | titier |
|---|----|-----|-----|-----|----|----|--------|
| | | | | | | | |

| 1.1. Floduct identifier | | | |
|-------------------------------|-----------------------------|--|--|
| Product name | Lysis Buffer B (5X) - Ultra | | |
| Chemical Name | Not Applicable | | |
| Synonyms | Lysis Buffer C (5X) - Ultra | | |
| Chemical formula | Not Applicable | | |
| Other means of identification | Lysis Buffer C (5X) - Ultra | | |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions. |
|--------------------------|--|
| Uses advised against | No specific uses advised against are identified. |

1.3. Details of the manufacturer or supplier of the safety data sheet

| Registered company name | TGR BioSciences Pty Ltd. | | |
|-------------------------|---|--|--|
| Address | n Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia | | |
| Telephone | +61 8 7228 2141 | | |
| Fax | Not Available | | |
| Website | www.tgrbio.com | | |
| Email | ADE.info@abcam.com | | |

1.4. Emergency telephone number

| 1.1. Emorgonoy telephone namber | | | |
|---------------------------------|-----------------------------------|------------------------------------|--|
| | Association / Organisation | Chemtrec Aus/North America/Revvity | |
| | Emergency telephone numbers | +61 2 9037 2994 | |
| | Other emergency telephone numbers | +1 703 527 3887 | |

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

| Classification according to regulation (EC) No 1272/2008 | Not Applicable |
|--|----------------|
| [CLP] and amendments [1] | |

2.2. Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
| Signal word | Not Applicable |

Hazard statement(s)

Not Applicable

Supplementary statement(s)

| EUH208 Contains CMIT/MIT 3:1. May produce an allergic reaction. | |
|---|---|
| EUH210 | Safety data sheet available on request. |

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Chemwatch: 5555-07 Page 2 of 11 Version No: 6.1

Lysis Buffer B (5X) - Ultra

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

2.3. Other hazards

| p-tert-octylphenol ethoxylate | Listed in the European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation |
|-------------------------------|--|
| p-tert-octylphenol ethoxylate | Listed in the Europe Regulation (EC) No 1907/2006 - Annex XIV List of Substances Subject to Authorisation |
| p-tert-octylphenol ethoxylate | Determined to have endocrine-disrupting properties according to Europe Regulation (EU) 528/2012, Europe Regulation (EU) 2017/2100, and Europe Regulation (EU) 2018/605 |

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

| 1. CAS No 2.EC No 3.Index No 4.REACH No | % [weight] | Name | Classification according to regulation (EC) No 1272/2008 [CLP] and amendments | SCL / M-Factor | Nanoform Particle Characteristics |
|---|--|--|---|---|---|
| 1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available | <0.01 <u>isothiazolinones,</u> <u>mixed</u> | | Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Acute Toxicity (Inhalation) Category 2, Skin Corrosion/Irritation Category 1C, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1A, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H330, H314, H318, H317, H400, H410 [2] | Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % M=100 M=100 | Not Available |
| 1. 9002-93-1 2.Not Available 3.Not Available 4.Not Available | >0.1 | p-tert- octylphenol ethoxylate [e] | Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 2; H302, H315, H318, H411, EUH205 [1] | Not Available | Not Available |
| 1. 7681-49-4 2.231-667-8 3.009-004-00-7 4.Not Available | >0.1 | sodium fluoride * | Acute Toxicity (Oral) Category 3, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2; H301, H315, H319 [2] | Not Available | Not Available |
| Not Available | balance | Ingredients determined not to be hazardous | Not Applicable | Not Applicable | Not Available |
| Legend: | Legend: 1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties | | | | |

SECTION 4 First aid measures

4.1. Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|--|
| Skin Contact | If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Issue Date: 25/10/2022

Print Date: 02/11/2023

Chemwatch: **5555-07** Page **3** of **11**Version No: **6.1**

Lysis Buffer B (5X) - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

5.3. Advice for firefighters

| Fire Fighting | Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. |
|-----------------------|---|
| Fire/Explosion Hazard | The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposition may produce toxic fumes of: carbon dioxide (CO2) nitrogen oxides (NOx) other pyrolysis products typical of burning organic material. May emit poisonous fumes. |

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

| Minor Spills | Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. |
|--------------|---|
| Major Spills | Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. |

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

| Titi i roodationo foi odio nanai | 9 | |
|----------------------------------|--|--|
| Safe handling | Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. | |
| Fire and explosion protection | See section 5 | |
| Other information | Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. | |

7.2. Conditions for safe storage, including any incompatibilities

| Suitable container | Plastic bottle. Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. | |
|--|--|--|
| Storage incompatibility | Avoid reaction with oxidising agents | |
| Hazard categories in accordance with Regulation (EC) No 1272/2008 | Not Available | |
| Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of | Not Available | |

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

| Ingredient | DNELs Exposure Pattern Worker | PNECs Compartment |
|-------------------------|---|--|
| isothiazolinones, mixed | Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) * | 3.39 μg/L (Water (Fresh)) 3.39 μg/L (Water - Intermittent release) 3.39 μg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP) |

Chemwatch: **5555-07**

Lysis Buffer B (5X) - Ultra

Page 4 of 11 Issue Date: 25/10/2022
Print Date: 02/11/2023

| Ingredient | DNELs Exposure Pattern Worker | PNECs Compartment |
|-----------------|--|--|
| sodium fluoride | Dermal 0.36 mg/kg bw/day (Systemic, Chronic) Inhalation 2.5 mg/m³ (Local, Chronic) Dermal 0.36 mg/kg bw/day (Systemic, Acute) Inhalation 2.5 mg/m³ (Systemic, Acute) | 0.9 mg/L (Water (Fresh)) 11 mg/kg soil dw (Soil) 51 mg/L (STP) |

^{*} Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Version No: 6.1

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---|-----------------|---|---------------|---------------|---------------|-------|
| Netherlands Occupational Exposure Limits | sodium fluoride | Fluoriden, anorganisch en oplosbaar (als F) | Not Available | 2 mg/m3 | Not Available | Α |
| EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs) | sodium fluoride | Inorganic Fluorides | 2.5 mg/m3 | Not Available | Not Available | Skin |

Emergency Limits

| Ingredient | TEEL-1 | TEEL-2 | TEEL-3 |
|-----------------|----------|----------|-------------|
| sodium fluoride | 17 mg/m3 | 90 mg/m3 | 1 100 mg/m3 |

| Ingredient | Original IDLH | Revised IDLH |
|-------------------------------|---------------|---------------|
| isothiazolinones, mixed | Not Available | Not Available |
| p-tert-octylphenol ethoxylate | Not Available | Not Available |
| sodium fluoride | 250 mg/m3 | Not Available |

Occupational Exposure Banding

| Ingredient | Occupational Exposure Band Rating | Occupational Exposure Band Limit | | |
|-------------------------------|--|----------------------------------|--|--|
| isothiazolinones, mixed | E | ≤ 0.1 ppm | | |
| p-tert-octylphenol ethoxylate | E | ≤ 0.1 ppm | | |
| Notes: | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are exposure to protect worker health. | | | |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment







Eye and face protection

Safety glasses with side shields

- ► Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care.

- ▶ Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

Body protection

See Other protection below • Overalls.

Other protection

- P.V.C apron
- Barrier cream.Skin cleansing cream.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

8.2.3. Environmental exposure controls

Lysis Buffer B (5X) - Ultra

Issue Date: **25/10/2022** Print Date: **02/11/2023**

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | Clear liquid. | | |
|--|----------------|---|----------------|
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n- octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | Not Available | Decomposition temperature (°C) | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |
| Nanoform Solubility | Not Available | Nanoform Particle Characteristics | Not Available |
| Particle Size | Not Available | | |

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

| 10.1.Reactivity | See section 7.2 | |
|--|--|--|
| 10.2. Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. | |
| 10.3. Possibility of hazardous reactions | See section 7.2 | |
| 10.4. Conditions to avoid | See section 7.2 | |
| 10.5. Incompatible materials | See section 7.2 | |
| 10.6. Hazardous decomposition products | See section 5.3 | |

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

dermal (rat) LD50: >1008 mg/kg^[1]

Inhalation(Rat) LC50: 0.171 mg/l4h^[1]

| 11.1. Information on hazard cla | isses as defined in Regulation (EC) No 12/2/2008 | | |
|---------------------------------|---|---------------|--|
| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. | | |
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. | | |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. | | |
| Eye | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). | | |
| Chronic | Ample evidence from experiments exists that there is a suspicion this material directly reduces fertility. Based on experience with animal studies, exposure to the material may result in toxic effects to the development of the foetus, at levels which do not cause significant toxic effects to the mother. There has been some concern that this material can cause cancer or mutations but there is not enough data to make an assessment. | | |
| | | | |
| Lysis Buffer B (5X) - Ultra | TOXICITY | IRRITATION | |
| Lysis Builer B (SK) - Ollia | Not Available | Not Available | |
| isothiazolinones, mixed | TOXICITY | IRRITATION | |

Eye: adverse effect observed (irreversible damage) $^{[1]}$

Skin: adverse effect observed (corrosive)^[1]

Lysis Buffer B (5X) - Ultra

Page 6 of 11 Issue Date: 25/10/2022 Print Date: 02/11/2023

| | Oral (Rat) LD50: 53 mg/kg ^[2] | Skin: adverse e | ffect observed (irritating) ^[1] | |
|---|---|---|--|--|
| | TOXICITY | IRRITATION | | |
| p-tert-octylphenol ethoxylate | Oral (Rat) LD50: 1800 mg/kg ^[2] | | | |
| | | Skin (human): 2 | 2 mg/3d -l - mild | |
| | TOXICITY | IRRITATION | | |
| sodium fluoride | dermal (rat) LD50: >2000 mg/kg ^[1] | | mg/24h-moderate | |
| | Oral (Rat) LD50: >25<2000 mg/kg ^[1] | | | |
| Legend: | Nalue obtained from Europe ECHA Registered Substances - Acute to specified data extracted from RTECS - Register of Toxic Effect of chem. | | btained from manufacturer's SDS. Unless otherwise | |
| | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | |
| ISOTHIAZOLINONES, MIXED | The following information refers to contact allergens as a group and may Contact allergies quickly manifest themselves as contact eczema, more contact eczema involves a cell-mediated (T lymphocytes) immune react urticaria, involve antibody-mediated immune reactions. In light of potential adverse effects, and to ensure a harmonised risk ass biocides has been established with the objective of ensuring a high leve this aim, it is required that risk assessment of biocidal products is carrier the risk assessment of the biocidal products are the utilization instruction applications and thus the exposure of humans and the environment to the Humans may be exposed to biocidal products in different ways in both of intended for industrial sectors or professional uses only, whereas other laprofessional users. Formaldehyde generators (releasers) are often used as preservatives. If and must be labelled with the warning sign "contains formaldehyde" where leasing preservatives ensures that the level of free formaldehyde in the disrupts metabolism to cause death of the organism. However there is a of causing cancers (nitrosamines) when used in formulations containing The material may be irritating to the eye, with prolonged contact causing produce conjunctivitis. The material may cause skin irritation after prolonged or repeated exposproduction of vesicles, scaling and thickening of the skin. | rarely as urticarition of the delayer sessment and marel of protection of dout before they the biocidal substruccupational and biocidal products. The maximum au ere the concentrate products is alward concern that for a mines. It is a uniformation. Registration of the delayer of the maximum au ere the concern that for a mines. It is a uniformation. Registration of the delayer of | a or Quincke's oedema. The pathogenesis of d type. Other allergic skin reactions, e.g. contact anagement, the EU regulatory framework for human and animal health and the environment. To can be placed on the market. A central element in the dosage, application method and amount of annce. domestic settings. Many biocidal products are are commonly available for private use by nonthorised concentration of free formaldehyde is 0.2% attion exceeds 0.05%. The use of formaldehydevays low but sufficient to inhibit microbial growth - it maldehyde generators can produce amines capable tepeated or prolonged exposure to irritants may | |
| P-TERT-OCTYLPHENOL ETHOXYLATE | Octoxynols: Octoxynols of various chain lengths as well as octoxynol salts and organic acids function in cosmetics either as surfactants-emulsifying agents, surfactants-cleansing agents, surfactants-solubilizing agents, or surfactants-hydrotropes in a wide variety of cosmetic products at concentrations ranging from 0.0008% to 25%, with most less than 5.0%. The octoxynols are chemically similar to nonoxynols Long-chain nonoxynols (9 and above) were considered safe as used, whereas short-chain nonoxynols (8 and below) were considered safe as used in rinse-off products and safe at concentrations less than 5% in leave-on formulations. Acute exposure of hamsters to Octoxynol-9 by bronchopulmonary lavage produced pneumonia, pulmonary edema, and intra-alveolar hemorrhage. Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that relatively high volumes would have to occur to produce any toxic response. No death due to poisoning with alcohol ethoxylates has ever been reported. Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or cancer. No adverse reproductive or developmental effects were observed. | | | |
| SODIUM FLUORIDE | The material may produce moderate eye irritation leading to inflammatic conjunctivitis. | on. Repeated or p | prolonged exposure to irritants may produce | |
| Lysis Buffer B (5X) - Ultra & ISOTHIAZOLINONES, MIXED | No significant acute toxicological data identified in literature search. | | | |
| Lysis Buffer B (5X) - Ultra & SODIUM FLUORIDE | The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing. | | | |
| ISOTHIAZOLINONES, MIXED & SODIUM FLUORIDE | Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. | | | |
| Acute Toxicity | X Ca | arcinogenicity | × | |
| Skin Irritation/Corrosion | | Reproductivity | × | |
| Serious Eye Damage/Irritation | X STOT - Sin | ngle Exposure | × | |
| Respiratory or Skin sensitisation | X STOT - Repea | ated Exposure | × | |

Legend:

Aspiration Hazard

— Data either not available or does not fill the criteria for classification
 — Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

sensitisation Mutagenicity

Many chemicals may mimic or interfere with the body s hormones, known as the endocrine system. Endocrine disruptors are chemicals that can interfere with endocrine (or

Endocrine disruptors interfere with the synthesis, secretion, transport, binding, action, or elimination of natural hormones in the body. Any system in the body controlled by hormones can be derailed by hormone disruptors. Specifically, endocrine disruptors may be associated with the development of learning disabilities, deformations of the body various cancers and sexual development problems.

Endocrine disrupting chemicals cause adverse effects in animals. But limited scientific information exists on potential health problems in humans. Because people are typically exposed to multiple endocrine disruptors at the same time, assessing public health effects is difficult.

Lysis Buffer B (5X) - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

| | Endpoint | Test Duration (hr) | Species | Value | Source |
|------------------------------|------------------|--------------------|---|------------------|-----------------|
| Lysis Buffer B (5X) - Ultra | Not Available | Not Available | Not Available | Not Available | Not Availabl |
| | Endpoint | Test Duration (hr) | Species | Value | Source |
| | LC50 | 96h | Fish | 0.129mg/l | 2 |
| isothiazolinones, mixed | EC50 | 72h | Algae or other aquatic plants | 0.006mg/L | 2 |
| isotniazoiinones, mixed | EC50 | 48h | Crustacea | 0.007mg/l | 2 |
| | EC50 | 96h | Algae or other aquatic plants | 0.036mg/L | 2 |
| | NOEC(ECx) | 48h | Algae or other aquatic plants | <0.001mg/L | 2 |
| | Endpoint | Test Duration (hr) | Species | Value | Sourc |
| -tert-octylphenol ethoxylate | EC50(ECx) | 96h | Fish | 3mg/L | 5 |
| | LC50 | 96h | Fish | >2.8<3.2mg/l | 4 |
| | Endpoint | Test Duration (hr) | Species | Value | Sourc |
| | BCF | 672h | Fish | <0.66 | 7 |
| | EC50 | 72h | Algae or other aquatic plants | >121.8mg/L | 4 |
| sodium fluoride | EC50 | 48h | Crustacea | 36.2mg/L | 5 |
| | EC50 | 96h | Algae or other aquatic plants | 43mg/l | 2 |
| | LC50 | 96h | Fish | 38-68mg/l | 4 |
| | NOEC(ECx) | 2160h | Fish | 3.1mg/l | 4 |
| Legend: | Ecotox databas | | CHA Registered Substances - Ecotoxicological Inforr C Aquatic Hazard Assessment Data 6. NITE (Japan) | | |

For Fluorides: Small amounts of fluoride have beneficial effects however; excessive intake over long periods may cause dental and/or skeletal fluorosis. Fluorides are absorbed by humans following inhalation of workplace and ambient air that has been contaminated, ingestion of drinking water and foods and dermal contact. Populations living in areas with high fluoride levels in groundwater may be exposed to higher levels of fluorides in their drinking water or in beverages prepared with the water. Among these populations, outdoor labourers, people living in hot climates, and people with excessive thirst will generally have the greatest daily intake of fluorides because they consume greater amounts of water.

DO NOT discharge into sewer or waterways

12.2. Persistence and degradability

| Ingredient Persistence: Water/Soil | | Persistence: Air |
|------------------------------------|------|------------------|
| p-tert-octylphenol ethoxylate | HIGH | HIGH |
| sodium fluoride | LOW | LOW |

12.3. Bioaccumulative potential

| Ingredient | Bioaccumulation |
|-------------------------------|-----------------------|
| p-tert-octylphenol ethoxylate | HIGH (LogKOW = 4.863) |
| sodium fluoride | LOW (BCF = 6.4) |

12.4. Mobility in soil

| Ingredient | Mobility |
|---|------------------|
| p-tert-octylphenol ethoxylate LOW (KOC = 699.2) | |
| sodium fluoride | LOW (KOC = 14.3) |

12.5. Results of PBT and vPvB assessment

| | P | В | Т | |
|-------------------------|---------------|---------------|---------------|--|
| Relevant available data | Not Available | Not Available | Not Available | |
| PBT | × | × | × | |
| vPvB | × | × | × | |
| PBT Criteria fulfilled? | | | | |
| vPvB | | | No | |

12.6. Endocrine disrupting properties

The evidence linking adverse effects to endocrine disruptors is more compelling in the environment than it is in humans. Endocrine distruptors profoundly alter reproductive physiology of ecosystems and ultimately impact entire populations. Some endocrine-disrupting chemicals are slow to break-down in the environment. That characteristic makes them potentially hazardous over long periods of time. Some well established adverse effects of endocrine disruptors in various wildlife species include; eggshell-thinning, displayed of characteristics of the opposite sex and impaired reproductive development. Other adverse changes in wildlife species that have been suggested, but not proven include; reproductive abnormalities, immune dysfunction and skeletal deformaties.

Chemwatch: 5555-07 Page 8 of 11 Version No: 6.1

Lysis Buffer B (5X) - Ultra

Issue Date: 25/10/2022 Print Date: 02/11/2023

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

| 13.1. Waste treatment methods |
|-------------------------------|
|-------------------------------|

| 13.1. waste treatment methods | | |
|--|---------------|--|
| Product / Packaging disposal Consult State Land Waste Management Authority for disposal. | | |
| Waste treatment options | Not Available | |
| Sewage disposal options Not Available | | |

SECTION 14 Transport information

Labels Required

| Marine | Pollutant | NC |
|--------|-----------|----|
| | | |

| and transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS | | | | | | |
|---|-------------------------|----------------------------------|-----------|----------------|--|--|
| 14.1. | UN number or ID number | Not Applicable | | | | |
| 14.2. | UN proper shipping name | Not Applicable | | | | |
| 14.3. | Transport hazard | Class | Not Appli | icable | | |
| class(es) | | Subsidiary Hazard Not Applicable | | | | |
| 14.4. | Packing group | Not Applicable | | | | |
| 14.5. | Environmental hazard | Not Applicable | | | | |
| | | Hazard identification | (Kemler) | Not Applicable | | |
| | | Classification code | | Not Applicable | | |
| 14.6. | Special precautions for | Hazard Label | | Not Applicable | | |
| us | user | Special provisions | | Not Applicable | | |
| | | Limited quantity | | Not Applicable | | |
| | | Tunnel Restriction C | ode | Not Applicable | | |

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | | Not Applicable | | | |
|---------------------------|--------------|---|-----------------------------|----------------|--|
| 14.2. UN proper name | shipping | Not Applicable | | | |
| | | ICAO/IATA Class | Not Applicable | | |
| 14.3. Transport h | azard | ICAO / IATA Subsidiary Hazard | diary Hazard Not Applicable | | |
| 01000(00) | | ERG Code Not Applicable | | | |
| 14.4. Packing gre | oup | Not Applicable | | | |
| 14.5. Environme | ntal hazard | Not Applicable | | | |
| | | Special provisions | | Not Applicable | |
| | | Cargo Only Packing Instructions | | Not Applicable | |
| | | Cargo Only Maximum Qty / Pack | | Not Applicable | |
| 14.6. Special pre user | cautions for | Passenger and Cargo Packing Instructions | | Not Applicable | |
| 4501 | user | Passenger and Cargo Maximum Qty / Pack | | Not Applicable | |
| | | Passenger and Cargo Limited Quantity Packing Instructions | | Not Applicable | |
| | | Passenger and Cargo Limited Ma | aximum Qty / Pack | Not Applicable | |

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | | | |
|------------------------------------|------------------------|----------------|--|--|
| 14.2. UN proper shipping name | Not Applicable | | | |
| 14.3. Transport hazard | IMDG Class | Not Applicable | | |
| class(es) | IMDG Subsidiary Hazard | Not Applicable | | |
| 14.4. Packing group | Not Applicable | | | |
| 14.5 Environmental hazard | Not Applicable | | | |
| | EMS Number Not | t Applicable | | |
| 14.6. Special precautions for user | Special provisions Not | t Applicable | | |
| | Limited Quantities Not | t Applicable | | |
| 14.6. Special precautions for user | Special provisions Not | t Applicable | | |

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicab |
|-----------------|--------------|
|-----------------|--------------|

Lysis Buffer B (5X) - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

| 14.2. UN proper shipping name | Not Applicable | | | |
|------------------------------------|-------------------------------|----------------|--|--|
| 14.3. Transport hazard class(es) | Not Applicable Not Applicable | | | |
| 14.4. Packing group | Not Applicable | | | |
| 14.5. Environmental hazard | Not Applicable | | | |
| | Classification code | Not Applicable | | |
| 44.6. 0 | Special provisions | Not Applicable | | |
| 14.6. Special precautions for user | Limited quantity | Not Applicable | | |
| | Equipment required | Not Applicable | | |
| | Fire cones number | Not Applicable | | |

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group |
|-------------------------------|---------------|
| isothiazolinones, mixed | Not Available |
| p-tert-octylphenol ethoxylate | Not Available |
| sodium fluoride | Not Available |

14.7.3. Transport in bulk in accordance with the IGC Code

| Product name | Ship Type |
|-------------------------------|---------------|
| isothiazolinones, mixed | Not Available |
| p-tert-octylphenol ethoxylate | Not Available |
| sodium fluoride | Not Available |

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

p-tert-octylphenol ethoxylate is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

EU REACH Regulation (EC) No 1907/2006 - Proposals to identify Substances of Very High Concern: Annex XV reports for commenting by Interested Parties previous consultation

Europe European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation

Europe Regulation (EC) No 1907/2006 - Annex XIV List of Substances Subject to Authorisation

sodium fluoride is found on the following regulatory lists

EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)

Europe EC Inventory

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Not Classified as Carcinogenic

Netherlands Occupational Exposure Limits

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

| National inventory Status | | |
|---|--|--|
| National Inventory | Status | |
| Australia - AIIC / Australia Non- Industrial Use | No (isothiazolinones, mixed) | |
| Canada - DSL | Yes | |
| Canada - NDSL | No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate; sodium fluoride) | |
| China - IECSC | Yes | |
| Europe - EINEC / ELINCS / NLP | No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate) | |
| Japan - ENCS | No (isothiazolinones, mixed) | |
| Korea - KECI | Yes | |
| New Zealand - NZloC | Yes | |
| Philippines - PICCS | Yes | |

Lysis Buffer B (5X) - Ultra

Issue Date: 25/10/2022 Print Date: 02/11/2023

| National Inventory | Status |
|--------------------|---|
| USA - TSCA | No (isothiazolinones, mixed) |
| Taiwan - TCSI | Yes |
| Mexico - INSQ | No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate) |
| Vietnam - NCI | Yes |
| Russia - FBEPH | Yes |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

SECTION 16 Other information

| Revision Date | 25/10/2022 |
|---------------|------------|
| Initial Date | 11/07/2022 |

Full text Risk and Hazard codes

| H301 | Toxic if swallowed. | |
|------|---|--|
| H302 | Harmful if swallowed. | |
| H310 | Fatal in contact with skin. | |
| H314 | Causes severe skin burns and eye damage. | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H330 | Fatal if inhaled. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H411 | Toxic to aquatic life with long lasting effects. | |

SDS Version Summary

| Version | Date of Update | Sections Updated |
|---------|-------------------|---|
| 5.2 | 02/09/2022 | Composition / information on ingredients - Ingredients, Identification of the substance / mixture and of the company / undertaking - Synonyms |
| 6.1 | 25/10/2022 | Disposal considerations - Disposal |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- ▶ OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AllC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
 KECI: Korea Existing Chemicals Inventory

Chemwatch: 5555-07 Page 11 of 11 Issue Date: 25/10/2022 Version No: 6.1 Print Date: 02/11/2023

Lysis Buffer B (5X) - Ultra

- NZIoC: New Zealand Inventory of Chemicals
 PICCS: Philippine Inventory of Chemicals and Chemical Substances
 TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
 FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



Reaction Buffer 1 - Ultra TGR BioSciences Pty Ltd.

Chemwatch: **5555-14**Version No: **4.1**Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: **25/10/2022**Print Date: **02/11/2023**S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

| Product name Reaction Buffer 1 - Ultra Chemical Name Not Applicable | | |
|---|----------------|----------|
| | | Synonyms |
| Chemical formula | Not Applicable | |
| Other means of identification Reaction Buffer 1 - MPSU, Reaction Buffer 2 - Ultra, Reaction Buffer 2 - MPSU, Reaction Buffer 3 - MPSU | | |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| · | | |
|--------------------------|--|--|
| Relevant identified uses | Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions. | |
| Uses advised against | No specific uses advised against are identified. | |

1.3. Details of the manufacturer or supplier of the safety data sheet

| Registered company name | TGR BioSciences Pty Ltd. | |
|-------------------------|---|--|
| Address | Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia | |
| Telephone | +61 8 7228 2141 | |
| Fax | Not Available | |
| Website | www.tgrbio.com | |
| Email | ADE.info@abcam.com | |

1.4. Emergency telephone number

| The Emolytical Composition of the Composition of th | | |
|--|------------------------------------|--|
| Association / Organisation | Chemtrec Aus/North America/Revvity | |
| Emergency telephone numbers | +61 2 9037 2994 | |
| Other emergency telephone numbers | +1 703 527 3887 | |

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

| Classification according to regulation (EC) No 1272/2008 | Not Applicable |
|--|----------------|
| [CLP] and amendments [1] | |

2.2. Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
| Signal word | Not Applicable |

Hazard statement(s)

Not Applicable

Supplementary statement(s)

| EUH208 | Contains CMIT/MIT 3:1. May produce an allergic reaction. | |
|--------|--|--|
| EUH210 | Safety data sheet available on request. | |

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Page 2 of 9 Reaction Buffer 1 - Ultra Issue Date: 25/10/2022 Print Date: 02/11/2023

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

| 1. CAS No 2.EC No 3.Index No 4.REACH No | % [weight] | Name | Classification according to regulation (EC) No 1272/2008 [CLP] and amendments | SCL / M-Factor | Nanoform Particle Characteristics |
|---|---------------|--|---|---|---|
| 1. 55965-84-9 2. Not Available 3.613-167-00-5 4. Not Available | <0.01 | isothiazolinones, mixed | Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Acute Toxicity (Inhalation) Category 2, Skin Corrosion/Irritation Category 1C, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1A, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H330, H314, H318, H317, H400, H410 [2] | Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % M=100 M=100 | Not Available |
| Not Available | balance | Ingredients determined not to be hazardous | Not Applicable | Not Applicable | Not Available |
| Legend: 1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * El IOELVs available; [e] Substance identified as having endocrine disrupting properties | | | vn from C&L * EU | | |

SECTION 4 First aid measures

4.1. Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|--|
| Skin Contact | If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility P Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

5.3. Advice for firefighters

| Fire Fighting | Use water delivered as a fine spray to control fire and cool adjacent area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. | |
|-----------------------|--|--|
| Fire/Explosion Hazard | The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. | |

Reaction Buffer 1 - Ultra

Issue Date: 25/10/2022 Page 3 of 9 Print Date: 02/11/2023

carbon dioxide (CO2)

other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

| Minor Spills | Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. |
|--------------|---|
| Major Spills | Minor hazard. ► Clear area of personnel. ► Alert Fire Brigade and tell them location and nature of hazard. ► Control personal contact with the substance, by using protective equipment as required. |

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

| Safe handling Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. | | | |
|--|--|--|--|
| Fire and explosion protection | See section 5 | | |
| Other information | Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. | | |

7.2. Conditions for safe storage, including any incompatibilities

| Suitable container Plastic tube or plastic bottle. Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. | |
|--|--|
| Storage incompatibility | ▶ Avoid reaction with oxidising agents |
| Hazard categories in accordance with Regulation (EC) No 1272/2008 | Not Available |
| Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of | Not Available |

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

| Ingredient | DNELs Exposure Pattern Worker | PNECs Compartment |
|-------------------------|---|--|
| isothiazolinones, mixed | Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) * | 3.39 µg/L (Water (Fresh)) 3.39 µg/L (Water - Intermittent release) 3.39 µg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP) |

^{*} Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Not Available |

Not Applicable

| Emergency I | imite |
|-------------|-------|

| Linergency Linite | | | |
|-------------------|--------|--------|--------|
| Ingredient | TEEL-1 | TEEL-2 | TEEL-3 |

Version No: 4.1

Reaction Buffer 1 - Ultra

Issue Date: 25/10/2022 Print Date: 02/11/2023

| Ingredient | TEEL-1 | TEEL-2 | | TEEL-3 |
|---------------------------|---------------|---------------|---------------|---------------|
| Reaction Buffer 1 - Ultra | Not Available | Not Available | | Not Available |
| Ingredient | Original IDLH | | Revised IDLH | |
| isothiazolinones, mixed | Not Available | | Not Available | |

Occupational Exposure Banding

| Ingredient | Occupational Exposure Band Rating | Occupational Exposure Band Limit | |
|-------------------------|--|----------------------------------|--|
| isothiazolinones, mixed | E | ≤ 0.1 ppm | |
| Notes: | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health. | | |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment









Eye and face protection

Safety glasses with side shields

- Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

Hands/feet protection

Wear general protective gloves, eg. light weight rubber gloves.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.

Body protection

See Other protection below

No special equipment needed when handling small quantities. OTHERWISE:

Other protection

- Overalls.
- Barrier cream.
- Eyewash unit.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | Clear liquid. | | |
|--|----------------|---|----------------|
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n- octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | Not Available | Decomposition temperature (°C) | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| | | | |

Issue Date: 25/10/2022 Print Date: 02/11/2023 Reaction Buffer 1 - Ultra

| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |
|--------------------------|---------------|--------------------------------------|---------------|
| Nanoform Solubility | Not Available | Nanoform Particle Characteristics | Not Available |
| Particle Size | Not Available | | |

9.2. Other information

Not Available

Version No: 4.1

SECTION 10 Stability and reactivity

| 10.1.Reactivity | See section 7.2 |
|--|---|
| 10.2. Chemical stability | Product is considered stable and hazardous polymerisation will not occur. |
| 10.3. Possibility of hazardous reactions | See section 7.2 |
| 10.4. Conditions to avoid | See section 7.2 |
| 10.5. Incompatible materials | See section 7.2 |
| 10.6. Hazardous decomposition products | See section 5.3 |

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. |
|--------------|---|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. |
| Eye | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). |
| Chronic | Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. |
| | |

| Reaction Buffer 1 - Ultra | TOXICITY | IRRITATION | |
|---------------------------|--|---|--|
| | Not Available | Not Available | |
| | TOXICITY | IRRITATION | |
| | dermal (rat) LD50: >1008 mg/kg ^[1] | Eye: adverse effect observed (irreversible damage) ^[1] | |
| isothiazolinones, mixed | Inhalation(Rat) LC50: 0.171 mg/l4h ^[1] | Skin: adverse effect observed (corrosive) ^[1] | |
| | Oral (Rat) LD50: 53 mg/kg ^[2] | Skin: adverse effect observed (irritating) ^[1] | |
| Legend: | Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances | | |

The following information refers to contact allergens as a group and may not be specific to this product.

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.

In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance.

Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by nonprofessional users. No significant acute toxicological data identified in literature search.

ISOTHIAZOLINONES, MIXED

Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde-releasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations containing amines.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

| Acute Toxicity | × | Carcinogenicity | × |
|----------------------------------|---|------------------------|---|
| Skin Irritation/Corrosion | × | Reproductivity | × |
| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × |

Page 6 of 9

Reaction Buffer 1 - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × |
|-----------------------------------|---|--------------------------|---|
| Mutagenicity | × | Aspiration Hazard | × |

Legend:

X − Data either not available or does not fill the criteria for classification
 y − Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

| Reaction Buffer 1 - Ultra | Endpoint Test Duration (hr) | | Species | Value | Source |
|---------------------------|-----------------------------|--------------------|---|------------------|------------------|
| | Not Available | Not Available | Not Available | Not Available | Not Available |
| isothiazolinones, mixed | Endpoint | Test Duration (hr) | Species | Value | Source |
| | LC50 | 96h | Fish | 0.129mg/l | 2 |
| | EC50 | 72h | Algae or other aquatic plants | 0.006mg/L | 2 |
| | EC50 | 48h | Crustacea | 0.007mg/l | 2 |
| | EC50 | 96h | Algae or other aquatic plants | 0.036mg/L | 2 |
| | NOEC(ECx) | 48h | Algae or other aquatic plants | <0.001mg/L | 2 |
| Legend: | Ecotox databas | , | CHA Registered Substances - Ecotoxicological Inform C Aquatic Hazard Assessment Data 6. NITE (Japan) | , , | |

12.2. Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air | |
|------------|---------------------------------------|---------------------------------------|--|
| | No Data available for all ingredients | No Data available for all ingredients | |

12.3. Bioaccumulative potential

| Ingredient | Bioaccumulation | | |
|------------|---------------------------------------|--|--|
| | No Data available for all ingredients | | |

12.4. Mobility in soil

| Ingredient | Mobility |
|------------|---------------------------------------|
| | No Data available for all ingredients |

12.5. Results of PBT and vPvB assessment

| | Р | В | Т | | |
|-------------------------|---------------|---------------|---------------|---|--|
| Relevant available data | Not Available | Not Available | Not Available | | |
| PBT | × | × | × | | |
| vPvB | × | × | × | × | |
| PBT Criteria fulfilled? | | | No | | |
| vPvB | | | No | | |

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

| 15.1. Waste treatment methods | | |
|-------------------------------|---|--|
| Product / Packaging disposal | Consult State Land Waste Management Authority for disposal. | |
| Waste treatment options | Not Available | |
| Sewage disposal options | Not Available | |

SECTION 14 Transport information

Labels Required

| Marine Pollutant | NO |
|------------------|----|
|------------------|----|

Chemwatch: 5555-14

Page 7 of 9 Issue Date: 25/10/2022 Version No: 4.1 Print Date: 02/11/2023 Reaction Buffer 1 - Ultra

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| and handport (ABA). Not Alegaeth Edit of the Antice Child of British Colors | | | | | | | |
|---|--------------------------------|----------------------------------|----------------|--|--|--|--|
| 14.1. UN number or ID number | Not Applicable | | | | | | |
| 14.2. UN proper shipping name | Not Applicable | | | | | | |
| 14.3. Transport hazard | Class | Not Appl | plicable | | | | |
| class(es) | Subsidiary Hazard | Subsidiary Hazard Not Applicable | | | | | |
| 14.4. Packing group | Not Applicable | | | | | | |
| 14.5. Environmental hazard | Not Applicable | | | | | | |
| | Hazard identification (Kemler) | | Not Applicable | | | | |
| | Classification code | | Not Applicable | | | | |
| 14.6. Special precautions for | Hazard Label | | Not Applicable | | | | |
| user | Special provisions | | Not Applicable | | | | |
| | Limited quantity | | Not Applicable | | | | |
| | Tunnel Restriction C | ode | Not Applicable | | | | |
| | <u> </u> | | | | | | |

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | | | | | | |
|------------------------------------|--|----------------|----------------|--|--|--|--|
| 14.2. UN proper shipping name | Not Applicable | | | | | | |
| | ICAO/IATA Class | Not Applicable | | | | | |
| 14.3. Transport hazard class(es) | ICAO / IATA Subsidiary Hazard Not Applicable | | | | | | |
| 01400(00) | ERG Code | Not Applicable | | | | | |
| 14.4. Packing group Not Applicable | | | | | | | |
| 14.5. Environmental hazard | Not Applicable | | | | | | |
| | Special provisions | | Not Applicable | | | | |
| | Cargo Only Packing Instructions | Not Applicable | | | | | |
| | Cargo Only Maximum Qty / Pack | Not Applicable | | | | | |
| 14.6. Special precautions for user | Passenger and Cargo Packing In | Not Applicable | | | | | |
| 400. | Passenger and Cargo Maximum | Not Applicable | | | | | |
| | Passenger and Cargo Limited Qu | Not Applicable | | | | | |
| | Passenger and Cargo Limited Ma | Not Applicable | | | | | |

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | | | | | | |
|------------------------------------|---|--|--|--|--|--|--|
| 14.2. UN proper shipping name | Not Applicable | | | | | | |
| 14.3. Transport hazard class(es) | IMDG Class Not Applicable IMDG Subsidiary Hazard Not Applicable | | | | | | |
| 14.4. Packing group | Not Applicable | | | | | | |
| 14.5 Environmental hazard | Not Applicable | | | | | | |
| 14.6. Special precautions for user | EMS Number Not Applicable Special provisions Not Applicable Limited Quantities Not Applicable | | | | | | |

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | | | | | | | | |
|------------------------------------|---|--|--|--|--|--|--|--|--|
| 14.2. UN proper shipping name | Not Applicable | | | | | | | | |
| 14.3. Transport hazard class(es) | Not Applicable Not Applicable | | | | | | | | |
| 14.4. Packing group | Not Applicable | | | | | | | | |
| 14.5. Environmental hazard | Not Applicable | | | | | | | | |
| 14.6. Special precautions for user | Classification code Not Applicable Special provisions Not Applicable Limited quantity Not Applicable Equipment required Not Applicable Fire cones number Not Applicable | | | | | | | | |

Chemwatch: **5555-14**Version No: **4.1**

Reaction Buffer 1 - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group |
|-------------------------|---------------|
| isothiazolinones, mixed | Not Available |

14.7.3. Transport in bulk in accordance with the IGC Code

| Product name | Ship Type |
|-------------------------|---------------|
| isothiazolinones, mixed | Not Available |

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

| Seveso Category | Not Available |
|-----------------|---------------|
|-----------------|---------------|

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

| National Inventory | Status |
|---|--|
| Australia - AIIC / Australia Non- Industrial Use | No (isothiazolinones, mixed) |
| Canada - DSL | Yes |
| Canada - NDSL | No (isothiazolinones, mixed) |
| China - IECSC | Yes |
| Europe - EINEC / ELINCS / NLP | No (isothiazolinones, mixed) |
| Japan - ENCS | No (isothiazolinones, mixed) |
| Korea - KECI | Yes |
| New Zealand - NZIoC | Yes |
| Philippines - PICCS | Yes |
| USA - TSCA | No (isothiazolinones, mixed) |
| Taiwan - TCSI | Yes |
| Mexico - INSQ | No (isothiazolinones, mixed) |
| Vietnam - NCI | Yes |
| Russia - FBEPH | Yes |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

SECTION 16 Other information

| Revision Date | 25/10/2022 | | | | |
|---------------|------------|--|--|--|--|
| Initial Date | 12/07/2022 | | | | |

Full text Risk and Hazard codes

| H301 | Toxic if swallowed. |
|------|---|
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

SDS Version Summary

| Version | Date of Update | Sections Updated |
|---------|-------------------|---|
| 3.1 | 19/07/2022 | Name |
| 4.1 | 25/10/2022 | Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility), Identification of the substance / mixture and of the company / undertaking - Synonyms |

Reaction Buffer 1 - Ultra

Issue Date: 25/10/2022 Print Date: 02/11/2023

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eve-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
 PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ▶ ES: Exposure Standard
- ▶ OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ► ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ► ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ▶ TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



AlphaLISA CaptSure™ Acceptor Beads (2mg/mL) TGR BioSciences Pty Ltd.

Chemwatch: 5555-20 Version No: 3.1 Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878) Issue Date: **25/10/2022**Print Date: **02/11/2023**S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

| 1 | 1 1 | D, | ٠. | dı. | ıct | Id | ont | ifier |
|---|-----|----|----|-----|-----|----|-----|-------|
| | | | | | | | | |

| Product name | AlphaLISA CaptSure™ Acceptor Beads (2mg/mL) | | |
|-------------------------------|--|--|--|
| Chemical Name | Not Applicable | | |
| Synonyms | Alpha 615 CaptSure™ Acceptor Beads (2mg/mL) _ Multiplex; Alpha 545 CaptSure2™ Acceptor Beads (2mg/mL)_ Multiplex; Alpha 615 anti-p-AKT(1/2/3) (Ser473) (mlgG1) Acceptor Beads; Alpha 615 anti-p-ERK (mlgG1) Acceptor Beads | | |
| Chemical formula | Not Applicable | | |
| Other means of identification | Alpha 545 CaptSure2 Acceptor Beads (2mg/mL)_MPSU, Alpha 615 CaptSure Acceptor Beads (2mg/mL)_MPSU | | |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions. | |
|--------------------------|--|--|
| Uses advised against | No specific uses advised against are identified. | |

1.3. Details of the manufacturer or supplier of the safety data sheet

| Registered company name | TGR BioSciences Pty Ltd. | | |
|-------------------------|--|--|--|
| Address | an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia | | |
| Telephone | +61 8 7228 2141 | | |
| Fax | Not Available | | |
| Website | www.tgrbio.com | | |
| Email | ADE.info@abcam.com | | |

1.4. Emergency telephone number

| Association / Organisation | Chemtrec Aus/North America/Revvity | |
|-----------------------------------|------------------------------------|--|
| Emergency telephone numbers | +61 2 9037 2994 | |
| Other emergency telephone numbers | +1 703 527 3887 | |

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

| Classification according to | |
|------------------------------|----------------|
| regulation (EC) No 1272/2008 | Not Applicable |
| [CLP] and amendments [1] | |

2.2. Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
| Signal word | Not Applicable |

Hazard statement(s)

Not Applicable

Supplementary statement(s)

| EUH208 | Contains CMIT/MIT 3:1. May produce an allergic reaction. | |
|--------|--|--|
| EUH210 | Safety data sheet available on request. | |

Precautionary statement(s) Prevention

Chemwatch: 5555-20 Page 2 of 9

Version No: 3.1 AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Print Date: 02/11/2023

Issue Date: 25/10/2022

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

| 1. CAS No 2.EC No 3.Index No 4.REACH No | % [weight] | Name | Classification according to regulation (EC) No 1272/2008 [CLP] and amendments | SCL / M-Factor | Nanoform Particle Characteristics |
|---|---------------|--|---|---|---|
| 1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available | <0.01 | isothiazolinones, mixed | Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Acute Toxicity (Inhalation) Category 2, Skin Corrosion/Irritation Category 1C, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1A, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H330, H314, H318, H317, H400, H410 [2] | Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % M=100 M=100 | Not Available |
| Not Available | balance | Ingredients determined not to be hazardous | Not Applicable | Not Applicable | Not Available |
| Legend: | | | Classification drawn from Regulation (EU) No 1272/2008 - | Annex VI; 3. Classification drav | vn from C&L * EU |

SECTION 4 First aid measures

4.1. Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|--|
| Skin Contact | If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
 Use extinguishing media suitable for surrounding area.

5.2. Special hazards arising from the substrate or mixture

| • | | | |
|------------------------------|---|--|--|
| Fire Incompatibility | None known. | | |
| 5.3. Advice for firefighters | | | |
| Fire Fighting | Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. | | |
| Fire/Explosion Hazard | Non combustible. | | |

▶ Not considered a significant fire risk, however containers may burn.

SECTION 6 Accidental release measures

Page 3 of 9

Chemwatch: **5555-20**Version No: **3.1**

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **02/11/2023**

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

| Minor Spills | Clean up all spills immediately. Avoid contact with skin and eyes. Wear impervious gloves and safety glasses. Use dry clean up procedures and avoid generating dust. |
|--------------|---|
| Major Spills | Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment and dust respirator. Prevent spillage from entering drains, sewers or water courses. |

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

| Safe handling Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. | | |
|--|---|--|
| Fire and explosion protection | See section 5 | |
| Other information | Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. | |

7.2. Conditions for safe storage, including any incompatibilities

| | , |
|--|---|
| Suitable container | Brown tube or bottle. Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Packing as recommended by manufacturer. |
| Storage incompatibility | None known |
| Hazard categories in accordance with Regulation (EC) No 1272/2008 | Not Available |
| Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of | Not Available |

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

| Ingredient | DNELs Exposure Pattern Worker | PNECs Compartment |
|-------------------------|---|--|
| isothiazolinones, mixed | Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) * | 3.39 µg/L (Water (Fresh)) 3.39 µg/L (Water - Intermittent release) 3.39 µg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP) |

^{*} Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Not Available |

Not Applicable

Emergency Limits

| Ingredient | TEEL-1 | TEEL-2 | | TEEL-3 |
|--|---------------|---------------|--------------|---------------|
| AlphaLISA CaptSure™ Acceptor Beads (2mg/mL) | Not Available | Not Available | | Not Available |
| Ingredient | Original IDLH | | Revised IDLH | |

Chemwatch: 5555-20 Page 4 of 9

Version No: 3.1

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: 25/10/2022 Print Date: 02/11/2023

| Ingredient | Original IDLH | Revised IDLH |
|-------------------------|---------------|---------------|
| isothiazolinones, mixed | Not Available | Not Available |

Occupational Exposure Banding

| Totalpanonai Exposaro Eunamig | | | | | |
|-------------------------------|--|----------------------------------|--|--|--|
| Ingredient | Occupational Exposure Band Rating | Occupational Exposure Band Limit | | | |
| isothiazolinones, mixed | E | ≤ 0.1 ppm | | | |
| Notes: | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health. | | | | |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment









Eye and face protection

- Safety glasses with side shields
- Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed

when making a final choice. Personal hygiene is a key element of effective hand care.

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.

- polychloroprene.
- nitrile rubber.
- butyl rubber.

Body protection

See Other protection below No special equipment needed when handling small quantities.

Other protection

OTHERWISE: Overalls.

- Barrier cream. ▶ Eyewash unit.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- · Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- · The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.
- · Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- . Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)
- Use approved positive flow mask if significant quantities of dust becomes airborne.
- · Try to avoid creating dust conditions.

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

| The minimum of the basis physical and should properties | | | |
|---|---------------------------|--|----------------|
| Appearance | White Lyophilysed pellet. | | |
| Physical state | Divided Solid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient noctanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | Not Applicable | Decomposition temperature (°C) | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and | Not Available | Molecular weight (g/mol) | Not Applicable |

Chemwatch: 5555-20 Page 5 of 9

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: 25/10/2022 Print Date: 02/11/2023

| boiling range (°C) | | | |
|---------------------------|----------------|--------------------------------------|----------------|
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Applicable |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |
| Nanoform Solubility | Not Available | Nanoform Particle Characteristics | Not Available |
| Particle Size | Not Available | | |

9.2. Other information

Not Available

Version No: 3.1

SECTION 10 Stability and reactivity

| 10.1.Reactivity | See section 7.2 |
|--|---|
| 10.2. Chemical stability | Product is considered stable and hazardous polymerisation will not occur. |
| 10.3. Possibility of hazardous reactions | See section 7.2 |
| 10.4. Conditions to avoid | See section 7.2 |
| 10.5. Incompatible materials | See section 7.2 |
| 10.6. Hazardous decomposition products | See section 5.3 |

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Eye | Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result. Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.5 micron penetrating and remaining in the lung. |
|--------------|--|
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. |
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. |
| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures. |

| AlphaLISA CaptSure™ Acceptor Beads (2mg/mL) | TOXICITY | IRRITATION | |
|--|--|---|--|
| | Not Available | Not Available | |
| | TOXICITY | IRRITATION | |
| | dermal (rat) LD50: >1008 mg/kg ^[1] | Eye: adverse effect observed (irreversible damage) ^[1] | |
| isothiazolinones, mixed | Inhalation(Rat) LC50: 0.171 mg/l4h ^[1] | Skin: adverse effect observed (corrosive) ^[1] | |
| | Oral (Rat) LD50: 53 mg/kg ^[2] | Skin: adverse effect observed (irritating) ^[1] | |
| Leaend: | 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwis | | |

ISOTHIAZOLINONES, MIXED

The following information refers to contact allergens as a group and may not be specific to this product.

specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.

In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim. it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance.

Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by nonprofessional users.

Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehydeChemwatch: **5555-20** Page **6** of **9**

Version No: 3.1

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **02/11/2023**

releasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations containing amines.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL) & ISOTHIAZOLINONES, MIXED

No significant acute toxicological data identified in literature search.

| Acute Toxicity | × | Carcinogenicity | × |
|-----------------------------------|---|--------------------------|---|
| Skin Irritation/Corrosion | × | Reproductivity | × |
| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × |
| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × |
| Mutagenicity | × | Aspiration Hazard | × |

Legend:

X - Data either not available or does not fill the criteria for classification

– Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

| AlphaLISA CaptSure™ Acceptor Beads (2mg/mL) | Endpoint Test Duration (hr) | | Species | Value | Source | |
|--|-----------------------------|--------------------|-------------------------------|------------------|------------------|--|
| | Not Available | Not Available | Not Available | Not Available | Not Available | |
| isothiazolinones, mixed | Endpoint | Test Duration (hr) | Species | Value | Source | |
| | LC50 | 96h | Fish | 0.129mg/l | 2 | |
| | EC50 | 72h | Algae or other aquatic plants | 0.006mg/L | 2 | |
| | EC50 | 48h | Crustacea | 0.007mg/l | 2 | |
| | EC50 | 96h | Algae or other aquatic plants | 0.036mg/L | 2 | |
| | NOEC(ECx) | 48h | Algae or other aquatic plants | <0.001mg/L | 2 | |

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

12.2. Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|---------------------------------------|---------------------------------------|
| | No Data available for all ingredients | No Data available for all ingredients |

12.3. Bioaccumulative potential

| Ingredient | Bioaccumulation |
|------------|---------------------------------------|
| | No Data available for all ingredients |

12.4. Mobility in soil

| Ingredient | Mobility |
|------------|---------------------------------------|
| | No Data available for all ingredients |

12.5. Results of PBT and vPvB assessment

| | P | В | Т | |
|-------------------------|---------------|---------------|---------------|--|
| Relevant available data | Not Available | Not Available | Not Available | |
| PBT | × | × | × | |
| vPvB | X | × | × | |
| PBT Criteria fulfilled? | | | | |
| VPVB | | | No | |

Chemwatch: **5555-20** Version No: 3.1

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: 25/10/2022 Print Date: 02/11/2023

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

| Product / Packaging disposal | Consult State Land Waste Management Authority for disposal. | |
|------------------------------|---|--|
| Waste treatment options | Not Available | |
| Sewage disposal options | Not Available | |

SECTION 14 Transport information

Labels Required

| Marine | Pollutant | NC |
|--------|-----------|----|
| | | |

| Land transport (ADR): NOT RE | GULATED FOR TRANS | SPORT OF DANGEROUS GOODS | | | |
|-------------------------------|----------------------------------|--------------------------|--|--|--|
| 14.1. UN number or ID number | Not Applicable | | | | |
| 14.2. UN proper shipping name | Not Applicable | | | | |
| 14.3. Transport hazard | Class | Not Applicable | | | |
| class(es) | Subsidiary Hazard Not Applicable | | | | |
| 14.4. Packing group | Not Applicable | | | | |
| 14.5. Environmental hazard | Not Applicable | | | | |
| | Hazard identification (l | (Kemler) Not Applicable | | | |
| | Classification code | Not Applicable | | | |
| 14.6. Special precautions for | Hazard Label | Not Applicable | | | |
| user | Special provisions | Not Applicable | | | |
| | Limited quantity | Not Applicable | | | |
| | Tunnel Restriction Cod | ode Not Applicable | | | |
| | | | | | |

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | | | |
|------------------------------------|---|----------------|----------------|--|
| 14.2. UN proper shipping name | Not Applicable | | | |
| | ICAO/IATA Class | Not Applicable | | |
| 14.3. Transport hazard class(es) | ICAO / IATA Subsidiary Hazard | Not Applicable | | |
| 01000(00) | ERG Code | Not Applicable | | |
| 14.4. Packing group | Not Applicable | | | |
| 14.5. Environmental hazard | Not Applicable | | | |
| | Special provisions | | Not Applicable | |
| | Cargo Only Packing Instructions | | Not Applicable | |
| | Cargo Only Maximum Qty / Pack | | Not Applicable | |
| 14.6. Special precautions for user | Passenger and Cargo Packing Instructions | | Not Applicable | |
| usei | Passenger and Cargo Maximum Qty / Pack | | Not Applicable | |
| | Passenger and Cargo Limited Quantity Packing Instructions | | Not Applicable | |
| | Passenger and Cargo Limited Maximum Qty / Pack | | Not Applicable | |

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | | |
|------------------------------------|---|--|--|
| 14.2. UN proper shipping name | Not Applicable | | |
| 14.3. Transport hazard class(es) | IMDG Class Not Applicable IMDG Subsidiary Hazard Not Applicable | | |
| 14.4. Packing group | Not Applicable | | |
| 14.5 Environmental hazard | Not Applicable | | |
| 14.6. Special precautions for user | EMS Number Not Applicable Special provisions Not Applicable Limited Quantities Not Applicable | | |

Chemwatch: **5555-20**Version No: **3.1**

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **02/11/2023**

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | | |
|------------------------------------|-------------------------------|----------------|--|
| 14.2. UN proper shipping name | Not Applicable | | |
| 14.3. Transport hazard class(es) | Not Applicable Not Applicable | | |
| 14.4. Packing group | Not Applicable | | |
| 14.5. Environmental hazard | Not Applicable | | |
| | Classification code | Not Applicable | |
| | Special provisions | Not Applicable | |
| 14.6. Special precautions for user | Limited quantity | Not Applicable | |
| 4001 | Equipment required | Not Applicable | |
| | Fire cones number | Not Applicable | |

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group |
|-------------------------|---------------|
| isothiazolinones, mixed | Not Available |

14.7.3. Transport in bulk in accordance with the IGC Code

| Product name | Ship Type |
|-------------------------|---------------|
| isothiazolinones, mixed | Not Available |

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

| National Inventory | Status |
|---|--|
| Australia - AIIC / Australia Non- Industrial Use | No (isothiazolinones, mixed) |
| Canada - DSL | Yes |
| Canada - NDSL | No (isothiazolinones, mixed) |
| China - IECSC | Yes |
| Europe - EINEC / ELINCS / NLP | No (isothiazolinones, mixed) |
| Japan - ENCS | No (isothiazolinones, mixed) |
| Korea - KECI | Yes |
| New Zealand - NZIoC | Yes |
| Philippines - PICCS Yes | Yes |
| USA - TSCA | No (isothiazolinones, mixed) |
| Taiwan - TCSI | Yes |
| Mexico - INSQ | No (isothiazolinones, mixed) |
| Vietnam - NCI | Yes |
| Russia - FBEPH | Yes |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

SECTION 16 Other information

| Revision Date | 25/10/2022 |
|---------------|------------|
| Initial Date | 13/07/2022 |

Chemwatch: 5555-20 Page 9 of 9

Version No. 3.1

AlphaLISA CaptSure™ Acceptor Beads (2mg/mL)

Issue Date: 25/10/2022 Print Date: 02/11/2023

Full text Risk and Hazard codes

| H301 | Toxic if swallowed. |
|------|---|
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

SDS Version Summary

| Version | Date of Update | Sections Updated |
|---------|----------------|--|
| 3.1 | 25/10/2022 | Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility) |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
 ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- ▶ TLV: Threshold Limit Value
- ▶ LOD: Limit Of Detection
- OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ► ENCS: Existing and New Chemical Substances Inventory
- ▶ KECI: Korea Existing Chemicals Inventory ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ▶ TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



Alpha Streptavidin Donor Beads (2mg/mL) TGR BioSciences Pty Ltd.

Chemwatch: **5555-08**Version No: **4.1**Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: **25/10/2022**Print Date: **02/11/2023**S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

| The round restriction | | |
|--|---|------------------|
| Product name | Alpha Streptavidin Donor Beads (2mg/mL) | |
| Chemical Name Not Applicable Synonyms Not Available | | |
| | | Chemical formula |
| Other means of identification | Not Available | |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions. | |
|--|--|
| Uses advised against | No specific uses advised against are identified. |

1.3. Details of the manufacturer or supplier of the safety data sheet

| Registered company name | TGR BioSciences Pty Ltd. | |
|--|--------------------------|-----|
| Address (an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia Telephone +61 8 7228 2141 | | |
| | | Fax |
| Website | www.tgrbio.com | |
| Email | ADE.info@abcam.com | |

1.4. Emergency telephone number

| 11-1 Elliot gorloy to opinono ricindo | | |
|---------------------------------------|-----------------------------------|------------------------------------|
| | Association / Organisation | Chemtrec Aus/North America/Revvity |
| | Emergency telephone numbers | +61 2 9037 2994 |
| | Other emergency telephone numbers | +1 703 527 3887 |

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

| Classification according to regulation (EC) No 1272/2008 | Not Applicable |
|--|--------------------|
| [CLP] and amendments [1] | Trot / ippiiodalic |

2.2. Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
| Signal word | Not Applicable |

Hazard statement(s)

Not Applicable

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Chemwatch: 5555-08 Page 2 of 8

Version No: 4.1

Alpha Streptavidin Donor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **02/11/2023**

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

| 1. CAS No 2.EC No 3.Index No 4.REACH No | % [weight] | Name | Classification according to regulation (EC) No 1272/2008 [CLP] and amendments | SCL / M- Factor | Nanoform Particle Characteristics |
|--|--|--|---|--------------------|--------------------------------------|
| Not Available | 100 | Ingredients determined not to be hazardous | Not Applicable | Not Applicable | Not Available |
| Legend: | 1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties | | | | |

SECTION 4 First aid measures

4.1. Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|--|
| Skin Contact | If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

▶ foam.

5.2. Special hazards arising from the substrate or mixture

| Fire Incompatibility | None known. |
|------------------------------|--|
| | |
| 5.3. Advice for firefighters | |
| | Alert Fire Brigade and tell them location and nature of hazard. |
| | ► Wear breathing apparatus plus protective gloves in the event of a fire. |
| Fire Fighting | Prevent, by any means available, spillage from entering drains or water courses. |
| | Use fire fighting procedures suitable for surrounding area. |
| | |
| | ▶ The material is not readily combustible under normal conditions. |
| | ▶ However, it will break down under fire conditions and the organic component may burn. |
| | ▶ Not considered to be a significant fire risk. |
| | ▶ Heat may cause expansion or decomposition with violent rupture of containers. |
| Fire/Explosion Hazard | |
| · | Decomposes on heating and produces toxic fumes of: |
| | carbon dioxida (CO2) |

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

nitrogen oxides (NOx)

other pyrolysis products typical of burning organic material.

See section 8

Version No: **4.1**

Alpha Streptavidin Donor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **02/11/2023**

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

| Minor Spills | Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. |
|--------------|---|
| Major Spills | Minor hazard. Clear area of personnel. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment as required. |

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

| Safe handling | Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. |
|-------------------------------|--|
| Fire and explosion protection | See section 5 |
| Other information | Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. |

7.2. Conditions for safe storage, including any incompatibilities

| Suitable container | Brown tube or brown bottle. Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. |
|--|--|
| Storage incompatibility | None known |
| Hazard categories in accordance with Regulation (EC) No 1272/2008 | Not Available |
| Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of | Not Available |

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

| Ingredient | DNELs Exposure Pattern Worker | PNECs Compartment | |
|---------------|----------------------------------|----------------------|--|
| Not Available | Not Available | Not Available | |

^{*} Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Not Available |

Not Applicable

Emergency Limits

| Ingredient | TEEL-1 | TEEL-2 | | TEEL-3 | | |
|--|---------------|---------------|---------------|---------------|--|--|
| Alpha Streptavidin Donor Beads (2mg/mL) | Not Available | Not Available | | Not Available | | |
| Ingredient | Original IDLH | | Revised IDLH | | | |
| Alpha Streptavidin Donor Beads (2mg/mL) | Not Available | | Not Available | | | |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Alpha Streptavidin Donor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **02/11/2023**

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. 8.2.2. Individual protection measures, such as personal protective equipment Safety glasses with side shields Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Eye and face protection ▶ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Skin protection See Hand protection below Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in Hands/feet protection advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. **Body protection** See Other protection below No special equipment needed when handling small quantities. OTHERWISE: Other protection Overalls.

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Barrier cream.Eyewash unit.

| Appearance | Blue liquid; mixes with water. | | |
|--|--------------------------------|---|----------------|
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n- octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |
| pH (as supplied) | Not Available | Decomposition temperature (°C) | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |
| Nanoform Solubility | Not Available | Nanoform Particle Characteristics | Not Available |
| Particle Size | Not Available | | |

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

| | • |
|--|---|
| | |
| 10.1.Reactivity | See section 7.2 |
| 10.2. Chemical stability | Product is considered stable and hazardous polymerisation will not occur. |
| 10.3. Possibility of hazardous reactions | See section 7.2 |
| 10.4. Conditions to avoid | See section 7.2 |
| 10.5. Incompatible materials | See section 7.2 |
| 10.6. Hazardous decomposition products | See section 5.3 |

SECTION 11 Toxicological information

Chemwatch: **5555-08**Version No: **4.1**

Alpha Streptavidin Donor Beads (2mg/mL)

Issue Date: **25/10/2022**Print Date: **02/11/2023**

| 11.1 Information on hazard | classes as defined in Regulation | (EC) No 1272/2008 |
|----------------------------------|----------------------------------|-------------------|
| TI.I. IIIIOIIIIAUOII OII IIAZAIU | ciasses as defined in Redulation | IECHNO IZIZIZUUO |

| Legend: | Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances | | |
|--------------------------|--|---------------|--|
| Beads (2mg/mL) | Not Available | Not Available | |
| Alpha Streptavidin Donor | TOXICITY | IRRITATION | |
| | ,, , , , , , , , , , , , , , , , , , , | | |
| Chronic | Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. | | |
| Eye | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). | | |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. | | |
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. | | |
| Inhaled | Not normally a hazard due to non-volatile nature of product The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. | | |

| Alpha Streptavidin Donor Beads (2mg/mL) | No significant acute toxicological data identified in literature search. | | | | |
|--|--|--------------------------|---|--|--|
| | | | | | |
| Acute Toxicity | × | Carcinogenicity | × | | |
| Skin Irritation/Corrosion | × | Reproductivity | × | | |
| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × | | |
| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × | | |
| Mutagenicity | × | Aspiration Hazard | × | | |

Legend:

X − Data either not available or does not fill the criteria for classification
✓ − Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

| Aluba Ctuantaridia Danas | Endpoint | Test Duration (hr) | Species | Value | Source |
|--|--|--------------------|---------------|------------------|------------------|
| Alpha Streptavidin Donor Beads (2mg/mL) | Not Available | Not Available | Not Available | Not Available | Not Available |
| Legend: | Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data | | | | |

12.2. Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air | |
|------------|---------------------------------------|---------------------------------------|--|
| | No Data available for all ingredients | No Data available for all ingredients | |

12.3. Bioaccumulative potential

| Ingredient | Bioaccumulation |
|------------|---------------------------------------|
| | No Data available for all ingredients |

12.4. Mobility in soil

| Ingredient | Mobility |
|------------|---------------------------------------|
| | No Data available for all ingredients |

12.5. Results of PBT and vPvB assessment

| 12.61 Nocalio 611 B1 and 41 42 acceptance | | | | |
|---|---------------|---------------|---------------|--|
| | P | В | Т | |
| Relevant available data | Not Available | Not Available | Not Available | |
| PBT | × | × | X | |
| vPvB | × | × | × | |
| PBT Criteria fulfilled? | | | | |
| vPvB | No | | | |

Alpha Streptavidin Donor Beads (2mg/mL)

Issue Date: 25/10/2022 Print Date: 02/11/2023

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

Version No: 4.1

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

| Product / Packaging disposal | Consult State Land Waste Management Authority for disposal. | |
|------------------------------|---|--|
| Waste treatment options | Not Available | |
| Sewage disposal options | Not Available | |

SECTION 14 Transport information

Labels Required

| Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS | | | | |
|--|----------------------------|----------------------|--|--|
| 14.1. UN number or ID number | Not Applicable | Not Applicable | | |
| 14.2. UN proper shipping name | Not Applicable | Not Applicable | | |
| 14.3. Transport hazard | Class Not | t Applicable_ | | |
| class(es) | Subsidiary Hazard Not | t Applicable | | |
| 14.4. Packing group | Not Applicable | | | |
| 14.5. Environmental hazard | Not Applicable | | | |
| | Hazard identification (Kem | nler) Not Applicable | | |
| | Classification code | Not Applicable | | |
| 14.6. Special precautions for | Hazard Label | Not Applicable | | |
| user | Special provisions | Not Applicable | | |
| | Limited quantity | Not Applicable | | |
| | Tunnel Restriction Code | Not Applicable | | |
| | | | | |

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | | | |
|------------------------------------|---|-------------------|----------------|--|
| 14.2. UN proper shipping name | Not Applicable | | | |
| | ICAO/IATA Class | Not Applicable | | |
| 14.3. Transport hazard class(es) | ICAO / IATA Subsidiary Hazard | Not Applicable | | |
| 0.000(00) | ERG Code | Not Applicable | | |
| 14.4. Packing group | Not Applicable | | | |
| 14.5. Environmental hazard | Not Applicable | | | |
| | Special provisions | | Not Applicable | |
| | Cargo Only Packing Instructions | | Not Applicable | |
| | Cargo Only Maximum Qty / Pack | | Not Applicable | |
| 14.6. Special precautions for user | Passenger and Cargo Packing Instructions | | Not Applicable | |
| usei | Passenger and Cargo Maximum Qty / Pack | | Not Applicable | |
| | Passenger and Cargo Limited Quantity Packing Instructions | | Not Applicable | |
| | Passenger and Cargo Limited Ma | aximum Qty / Pack | Not Applicable | |

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | Not Applicable | |
|------------------------------------|-----------------------------------|--------------------------------|--|
| 14.2. UN proper shipping name | Not Applicable | | |
| 14.3. Transport hazard class(es) | IMDG Class IMDG Subsidiary Hazard | Not Applicable Not Applicable | |
| 14.4. Packing group | Not Applicable | | |
| 14.5 Environmental hazard | Not Applicable | | |
| 14.6. Special precautions for user | EMS Number Not Applicable | | |

Chemwatch: 5555-08

Alpha Streptavidin Donor Beads (2mg/mL)

Issue Date: 25/10/2022 Page **7** of **8** Print Date: 02/11/2023

Special provisions Not Applicable Limited Quantities Not Applicable

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | Not Applicable | |
|------------------------------------|---------------------|----------------|--|
| 14.2. UN proper shipping name | Not Applicable | | |
| 14.3. Transport hazard class(es) | Not Applicable No | t Applicable | |
| 14.4. Packing group | Not Applicable | | |
| 14.5. Environmental hazard | Not Applicable | | |
| | Classification code | Not Applicable | |
| | Special provisions | Not Applicable | |
| 14.6. Special precautions for user | Limited quantity | Not Applicable | |
| 4001 | Equipment required | Not Applicable | |
| | Fire cones number | Not Applicable | |

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Ship Type

Not Applicable

Product name

Version No: 4.1

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group | |
|---|-------|--|
| | | |
| 14.7.3. Transport in bulk in accordance with the IGC Code | | |

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

| Seveso Category Not Available |
|-------------------------------|
|-------------------------------|

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

| National Inventory | Status |
|---|--|
| Australia - AIIC / Australia Non- Industrial Use | Not Available |
| Canada - DSL | Not Available |
| Canada - NDSL | Not Available |
| China - IECSC | Not Available |
| Europe - EINEC / ELINCS / NLP | Not Available |
| Japan - ENCS | Not Available |
| Korea - KECI | Not Available |
| New Zealand - NZIoC | Not Available |
| Philippines - PICCS | Not Available |
| USA - TSCA | Not Available |
| Taiwan - TCSI | Not Available |
| Mexico - INSQ | Not Available |
| Vietnam - NCI | Not Available |
| Russia - FBEPH | Not Available |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

SECTION 16 Other information

| Revision Date | 25/10/2022 |
|---------------|------------|
| Initial Date | 12/07/2022 |

Full text Risk and Hazard codes

SDS Version Summary

Chemwatch: 5555-08 Page 8 of 8

Version No: 4.1

Alpha Streptavidin Donor Beads (2mg/mL)

Issue Date: 25/10/2022 Print Date: 02/11/2023

| Version | Date of Update | Sections Updated |
|---------|----------------|--|
| 3.1 | 16/08/2022 | Name |
| 4.1 | 25/10/2022 | Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility) |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- ▶ OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- ▶ NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
 FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.



Positive Control Lysate - Ultra TGR BioSciences Pty Ltd.

Chemwatch: **5555-32**Version No: **4.1**Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: **25/10/2022**Print Date: **02/11/2023**S.REACH.NLD.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

| THE FOUND TO SELECTION OF THE PROPERTY OF THE | | |
|---|---------------------------------|--|
| Product name | Positive Control Lysate - Ultra | |
| Chemical Name | Not Applicable | |
| Synonyms | Not Available | |
| Chemical formula | Not Applicable | |
| Other means of identification | Not Available | |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Use of Substances/mixtures for Laboratory Research Use Only. Do Not Use for diagnostic, therapeutic or clinical use. Use according to manufacturer's directions. |
|--------------------------|--|
| Uses advised against | No specific uses advised against are identified. |

1.3. Details of the manufacturer or supplier of the safety data sheet

| Registered company name | TGR BioSciences Pty Ltd. | |
|-------------------------|---|--|
| Address | (an Abcam Company) Unit 3, 31 George Street, Thebarton, SA 5031 Australia | |
| Telephone | +61 8 7228 2141 | |
| Fax | Not Available | |
| Website | www.tgrbio.com | |
| Email | ADE.info@abcam.com | |

1.4. Emergency telephone number

| 11-11 Emorgonoy totophono num | y total number | |
|-----------------------------------|------------------------------------|--|
| Association / Organisation | Chemtrec Aus/North America/Revvity | |
| Emergency telephone numbers | +61 2 9037 2994 | |
| Other emergency telephone numbers | +1 703 527 3887 | |

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

| Classification according to regulation (EC) No 1272/2008 | Not Applicable |
|--|----------------|
| [CLP] and amendments [1] | |

2.2. Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
| Signal word | Not Applicable |

Hazard statement(s)

Not Applicable

Supplementary statement(s)

| • • • | • | | |
|---|---|--------|--|
| EUH208 Contains CMIT/MIT 3:1. May produce an allergic reaction. | | EUH208 | Contains CMIT/MIT 3:1. May produce an allergic reaction. |
| | | EUH210 | Safety data sheet available on request. |

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Chemwatch: 5555-32 Page 2 of 10
Version No: 4.1 Positive Control Lye

Positive Control Lysate - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

2.3. Other hazards

| p-tert-octylphenol ethoxylate | Listed in the European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation |
|-------------------------------|--|
| p-tert-octylphenol ethoxylate | Listed in the Europe Regulation (EC) No 1907/2006 - Annex XIV List of Substances Subject to Authorisation |
| p-tert-octylphenol ethoxylate | Determined to have endocrine-disrupting properties according to Europe Regulation (EU) 528/2012, Europe Regulation (EU) 2017/2100, and Europe Regulation (EU) 2018/605 |

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

| 1. CAS No 2.EC No 3.Index No 4.REACH No | % [weight] | Name | Classification according to regulation (EC) No 1272/2008 [CLP] and amendments | SCL / M-Factor | Nanoform Particle Characteristics |
|--|---------------|--|---|---|---|
| 1. 55965-84-9 2.Not Available 3.613-167-00-5 4.Not Available | <0.01 | isothiazolinones, mixed | Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Acute Toxicity (Inhalation) Category 2, Skin Corrosion/Irritation Category 1C, Serious Eye Damage/Eye Irritation Category 1, Sensitisation (Skin) Category 1A, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H330, H314, H318, H317, H400, H410 [2] | Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 % M=100 M=100 | Not Available |
| 1. 9002-93-1 2.Not Available 3.Not Available 4.Not Available | >0.1 | p-tert- octylphenol ethoxylate [e] | Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 2; H302, H315, H318, H411, EUH205 [1] | Not Available | Not Available |
| Not Available | balance | Ingredients determined not to be hazardous | Not Applicable | Not Applicable | Not Available |
| Legend: 1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * IOELVs available; [e] Substance identified as having endocrine disrupting properties | | | | | vn from C&L * EU |

SECTION 4 First aid measures

4.1. Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|--|
| Skin Contact | If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

5.2. Special hazards arising from the substrate or mixture

| .z. Special nazarus ansing nom the substrate of mixture | | | | |
|---|-------------|--|--|--|
| Fire Incompatibility | None known. | | | |

5.3. Advice for firefighters

Fire Fighting

- ▶ Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves in the event of a fire.
- ▶ Prevent, by any means available, spillage from entering drains or water courses.

Page 3 of 10

Chemwatch: **5555-32** Version No: **4.1**

Positive Control Lysate - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

| | ▶ Use fire fighting procedures suitable for surrounding area. |
|-----------------------|--|
| Fire/Explosion Hazard | Non combustible. Not considered a significant fire risk, however containers may burn. |

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

| Minor Spills | Clean up all spills immediately. Avoid contact with skin and eyes. Wear impervious gloves and safety glasses. Use dry clean up procedures and avoid generating dust. |
|--------------|---|
| Major Spills | Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Control personal contact with the substance, by using protective equipment and dust respirator. Prevent spillage from entering drains, sewers or water courses. |

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

| Safe handling | Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. | |
|---|---|--|
| Fire and explosion protection See section 5 | | |
| Other information | Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. | |

7.2. Conditions for safe storage, including any incompatibilities

| Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. | | | |
|---|---------------|--|--|
| Storage incompatibility | None known | | |
| Hazard categories in accordance with Regulation (EC) No 1272/2008 | Not Available | | |
| Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of | Not Available | | |

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

| Ingredient | DNELs Exposure Pattern Worker | PNECs Compartment | |
|-------------------------|---|--|--|
| isothiazolinones, mixed | Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) Oral 0.09 mg/kg bw/day (Systemic, Chronic) * Inhalation 0.02 mg/m³ (Local, Chronic) * Oral 0.11 mg/kg bw/day (Systemic, Acute) * Inhalation 0.04 mg/m³ (Local, Acute) * | 3.39 µg/L (Water (Fresh)) 3.39 µg/L (Water - Intermittent release) 3.39 µg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP) | |

^{*} Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Not Available |

Not Applicable

Emergency Limits

| Ingredient | TEEL-1 | TEEL-2 | TEEL-3 |
|------------|--------|--------|--------|
| | | | |

Chemwatch: 5555-32 Page 4 of 10

Positive Control Lysate - Ultra

Issue Date: 25/10/2022 Print Date: 02/11/2023

| Ingredient | TEEL-1 | TEEL-2 | | TEEL-3 |
|---------------------------------|---------------|---------------|---------------|---------------|
| Positive Control Lysate - Ultra | Not Available | Not Available | | Not Available |
| Ingredient | Original IDLH | | Revised IDLH | |
| isothiazolinones, mixed | Not Available | | Not Available | |
| ' | | | | |

Occupational Exposure Banding

Version No. 4.1

| Ingredient | Occupational Exposure Band Rating | Occupational Exposure Band Limit |
|-------------------------------|--|----------------------------------|
| isothiazolinones, mixed | E | ≤ 0.1 ppm |
| p-tert-octylphenol ethoxylate | E | ≤ 0.1 ppm |
| Notes: | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health. | |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

8.2.2. Individual protection measures, such as personal protective equipment









Eye and face protection

- Safety glasses with side shields
- Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

Skin protection

See Hand protection below

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed

Hands/feet protection

when making a final choice. Personal hygiene is a key element of effective hand care.

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.

polychloroprene.

See Other protection below

- nitrile rubber.
- butyl rubber.

Body protection

No special equipment needed when handling small quantities.

Other protection

- OTHERWISE: Overalls.
- Barrier cream.
- Eyewash unit.

Respiratory protection

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

- · Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- · The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- · Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended
- · Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- . Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)
- · Use approved positive flow mask if significant quantities of dust becomes airborne.
- · Try to avoid creating dust conditions.

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | White Lyophilysed pellet. | | |
|-----------------|---------------------------|---|----------------|
| | | | |
| Physical state | Divided Solid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n- octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Applicable |

Chemwatch: **5555-32** Version No: **4.1**

Positive Control Lysate - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

| pH (as supplied) | Not Applicable | Decomposition temperature (°C) | Not Available |
|--|----------------|--------------------------------------|----------------|
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Applicable |
| Flash point (°C) | Not Applicable | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Applicable | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Applicable | Surface Tension (dyn/cm or mN/m) | Not Applicable |
| Lower Explosive Limit (%) | Not Applicable | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |
| Nanoform Solubility | Not Available | Nanoform Particle Characteristics | Not Available |
| Particle Size | Not Available | | |

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

| 10.1.Reactivity | See section 7.2 |
|--|---|
| 10.2. Chemical stability | Product is considered stable and hazardous polymerisation will not occur. |
| 10.3. Possibility of hazardous reactions | See section 7.2 |
| 10.4. Conditions to avoid | See section 7.2 |
| 10.5. Incompatible materials | See section 7.2 |
| 10.6. Hazardous decomposition products | See section 5.3 |

SECTION 11 Toxicological information

| 11.1. Information on hazard | l classes as defined in | Regulation (EC | No 1272/2008 |
|-----------------------------------|-------------------------|-----------------|--------------|
| TITLE IIII OI III GUI OI TIGEGI G | olacce ac acililea ill | riogalation (=c | , |

| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures. |
|--------------|--|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting. |
| Eye | Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result. |
| Chronic | Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.5 micron penetrating and remaining in the lung. |
| | TOVICITY |

| Positive Control Lysate - Ultra | TOXICITY | IRRITATION |
|------------------------------------|---|---|
| | Not Available | Not Available |
| isothiazolinones, mixed | TOXICITY | IRRITATION |
| | dermal (rat) LD50: >1008 mg/kg ^[1] | Eye: adverse effect observed (irreversible damage) ^[1] |
| | Inhalation(Rat) LC50: 0.171 mg/l4h ^[1] | Skin: adverse effect observed (corrosive) ^[1] |
| | Oral (Rat) LD50: 53 mg/kg ^[2] | Skin: adverse effect observed (irritating) ^[1] |
| | тохісіту | IRRITATION |
| tert-octylphenol ethoxylate | Oral (Rat) LD50: 1800 mg/kg ^[2] | Eye (rabbit): 1 mg - moderate |
| | | Skin (human): 2 mg/3d -l - mild |
| Legend: | Nalue obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwispecified data extracted from RTECS - Register of Toxic Effect of chemical Substances | |

ISOTHIAZOLINONES, MIXED

The following information refers to contact allergens as a group and may not be specific to this product.

Chemwatch: **5555-32**Version No: **4.1**

Positive Control Lysate - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions.

In light of potential adverse effects, and to ensure a harmonised risk assessment and management, the EU regulatory framework for biocides has been established with the objective of ensuring a high level of protection of human and animal health and the environment. To this aim, it is required that risk assessment of biocidal products is carried out before they can be placed on the market. A central element in the risk assessment of the biocidal products are the utilization instructions that defines the dosage, application method and amount of applications and thus the exposure of humans and the environment to the biocidal substance.

Humans may be exposed to biocidal products in different ways in both occupational and domestic settings. Many biocidal products are intended for industrial sectors or professional uses only, whereas other biocidal products are commonly available for private use by non-professional users.

Formaldehyde generators (releasers) are often used as preservatives. The maximum authorised concentration of free formaldehyde is 0.2% and must be labelled with the warning sign "contains formaldehyde" where the concentration exceeds 0.05%. The use of formaldehyde-releasing preservatives ensures that the level of free formaldehyde in the products is always low but sufficient to inhibit microbial growth - it disrupts metabolism to cause death of the organism. However there is a concern that formaldehyde generators can produce amines capable of causing cancers (nitrosamines) when used in formulations containing amines.

The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia.

P-TERT-OCTYLPHENOL ETHOXYLATE

Octoxynols:

Octoxynols of various chain lengths as well as octoxynol salts and organic acids function in cosmetics either as surfactants-emulsifying agents, surfactants-cleansing agents, surfactants-olubilizing agents, or surfactants-hydrotropes in a wide variety of cosmetic products at concentrations ranging from 0.0008% to 25%, with most less than 5.0%. The octoxynols are chemically similar to nonoxynols.. Long-chain nonoxynols (9 and above) were considered safe as used, whereas short-chain nonoxynols (8 and below) were considered safe as used in rinse-off products and safe at concentrations less than 5% in leave-on formulations. Acute exposure of hamsters to Octoxynol-9 by bronchopulmonary lavage produced pneumonia, pulmonary edema, and intra-alveolar hemorrhage.

Humans have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents and other cleaning products. Exposure to these chemicals can occur through swallowing, inhalation, or contact with the skin or eyes. Studies of acute toxicity show that relatively high volumes would have to occur to produce any toxic response. No death due to poisoning with alcohol ethoxylates has ever been reported.

Both laboratory and animal testing has shown that there is no evidence for alcohol ethoxylates (AEs) causing genetic damage, mutations or cancer. No adverse reproductive or developmental effects were observed.

Positive Control Lysate -Ultra & ISOTHIAZOLINONES, MIXED

No significant acute toxicological data identified in literature search.

| Acute Toxicity | × | Carcinogenicity | × |
|-----------------------------------|---|--------------------------|---|
| Skin Irritation/Corrosion | × | Reproductivity | × |
| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × |
| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × |
| Mutagenicity | × | Aspiration Hazard | × |

Legend:

X - Data either not available or does not fill the criteria for classification

Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

Many chemicals may mimic or interfere with the body s hormones, known as the endocrine system. Endocrine disruptors are chemicals that can interfere with endocrine (or hormonal) systems.

Endocrine disruptors interfere with the synthesis, secretion, transport, binding, action, or elimination of natural hormones in the body. Any system in the body controlled by hormones can be derailed by hormone disruptors. Specifically, endocrine disruptors may be associated with the development of learning disabilities, deformations of the body various cancers and sexual development problems.

Endocrine disrupting chemicals cause adverse effects in animals. But limited scientific information exists on potential health problems in humans. Because people are typically exposed to multiple endocrine disruptors at the same time, assessing public health effects is difficult.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

| Positive Control Lysate - Ultra | Endpoint | Test Duration (hr) | Species | Value | Source |
|------------------------------------|------------------|--------------------|-------------------------------|------------------|------------------|
| | Not Available | Not Available | Not Available | Not Available | Not Available |
| | Endpoint | Test Duration (hr) | Species | Value | Source |
| isothiazolinones, mixed | LC50 | 96h | Fish | 0.129mg/l | 2 |
| | EC50 | 72h | Algae or other aquatic plants | 0.006mg/L | 2 |
| | EC50 | 48h | Crustacea | 0.007mg/l | 2 |
| | EC50 | 96h | Algae or other aquatic plants | 0.036mg/L | 2 |
| | NOEC(ECx) | 48h | Algae or other aquatic plants | <0.001mg/L | 2 |
| ert-octylphenol ethoxylate | Endpoint | Test Duration (hr) | Species | Value | Source |

Chemwatch: **5555-32** Page **7** of **10**

Positive Control Lysate - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

EC50(ECx) 96h Fish 3mg/L 5
LC50 96h Fish >2.8<3.2mg/l 4

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

12.2. Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|-------------------------------|-------------------------|------------------|
| p-tert-octylphenol ethoxylate | HIGH | HIGH |

12.3. Bioaccumulative potential

| Ingredient | Bioaccumulation |
|-------------------------------|-----------------------|
| p-tert-octylphenol ethoxylate | HIGH (LogKOW = 4.863) |

12.4. Mobility in soil

Version No: 4.1

| Ingredient | Mobility |
|-------------------------------|-------------------|
| p-tert-octylphenol ethoxylate | LOW (KOC = 699.2) |

12.5. Results of PBT and vPvB assessment

| | P | В | Т |
|-------------------------|---------------|---------------|---------------|
| Relevant available data | Not Available | Not Available | Not Available |
| PBT | × | × | × |
| vPvB | × | × | × |
| PBT Criteria fulfilled? | | | |
| vPvB | | | No |

12.6. Endocrine disrupting properties

The evidence linking adverse effects to endocrine disruptors is more compelling in the environment than it is in humans. Endocrine distruptors profoundly alter reproductive physiology of ecosystems and ultimately impact entire populations. Some endocrine-disrupting chemicals are slow to break-down in the environment. That characteristic makes them potentially hazardous over long periods of time. Some well established adverse effects of endocrine disruptors in various wildlife species include; eggshell-thinning, displayed of characteristics of the opposite sex and impaired reproductive development. Other adverse changes in wildlife species that have been suggested, but not proven include; reproductive abnormalities, immune dysfunction and skeletal deformaties.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

| Product / Packaging disposal | Consult State Land Waste Management Authority for disposal. | |
|------------------------------|---|--|
| Waste treatment options | Not Available | |
| Sewage disposal options | Not Available | |

SECTION 14 Transport information

Labels Required

| Marine Pollutant | NO |
|------------------|----|
| | |

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| Land | Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS | | | | |
|------|--|-----------------------|----------------|----------------|--|
| 14.1 | . UN number or ID number | Not Applicable | Not Applicable | | |
| 14.2 | 2. UN proper shipping name | Not Applicable | Not Applicable | | |
| 14.3 | 3. Transport hazard | Class | Not Appli | dicable | |
| | class(es) | Subsidiary Hazard | Not Appli | licable | |
| 14.4 | Packing group | Not Applicable | | | |
| 14.5 | 5. Environmental hazard | Not Applicable | | | |
| | | Hazard identification | (Kemler) | Not Applicable | |
| | | Classification code | | Not Applicable | |
| 14.6 | S. Special precautions for | Hazard Label | | Not Applicable | |
| | user | Special provisions | | Not Applicable | |
| | | Limited quantity | | Not Applicable | |
| | | Tunnel Restriction Co | ode | Not Applicable | |
| | | | | | |

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Chemwatch: 5555-32 Version No: 4.1

Positive Control Lysate - Ultra

Page 8 of 10 Issue Date: 25/10/2022 Print Date: 02/11/2023

| 14.2. UN proper sh name | nipping | Not Applicable | | | |
|------------------------------------|-------------|---|-------------------|----------------|--|
| | | ICAO/IATA Class | Not Applicable | | |
| 14.3. Transport has class(es) | zard | ICAO / IATA Subsidiary Hazard | Not Applicable | | |
| 5.455(55) | | ERG Code | Not Applicable | | |
| 14.4. Packing grou | ıp | Not Applicable | | | |
| 14.5. Environment | al hazard | Not Applicable | | | |
| | | Special provisions | | Not Applicable | |
| | | Cargo Only Packing Instructions | | Not Applicable | |
| 14.6. Special precautions for user | | Cargo Only Maximum Qty / Pack | | Not Applicable | |
| | autions for | Passenger and Cargo Packing Instructions | | Not Applicable | |
| | | Passenger and Cargo Maximum Qty / Pack | | Not Applicable | |
| | | Passenger and Cargo Limited Quantity Packing Instructions | | Not Applicable | |
| | | Passenger and Cargo Limited Ma | aximum Oty / Pack | Not Applicable | |

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | | | |
|------------------------------------|-----------------------------------|---|--|--|
| 14.2. UN proper shipping name | Not Applicable | Not Applicable | | |
| 14.3. Transport hazard class(es) | IMDG Class IMDG Subsidiary Hazard | Not Applicable Not Applicable | | |
| 14.4. Packing group | Not Applicable | | | |
| 14.5 Environmental hazard | Not Applicable | | | |
| 14.6. Special precautions for user | Special provisions No | ot Applicable ot Applicable ot Applicable | | |

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number | Not Applicable | | | |
|------------------------------------|---|--|--|--|
| 14.2. UN proper shipping name | Not Applicable | | | |
| 14.3. Transport hazard class(es) | Not Applicable Not Applicable | | | |
| 14.4. Packing group | Not Applicable | | | |
| 14.5. Environmental hazard | Not Applicable | | | |
| 14.6. Special precautions for user | Classification code Not Applicable Special provisions Not Applicable Limited quantity Not Applicable Equipment required Not Applicable Fire cones number Not Applicable | | | |

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group |
|-------------------------------|---------------|
| isothiazolinones, mixed | Not Available |
| p-tert-octylphenol ethoxylate | Not Available |

14.7.3. Transport in bulk in accordance with the IGC Code

| Product name | Ship Type |
|-------------------------------|---------------|
| isothiazolinones, mixed | Not Available |
| p-tert-octylphenol ethoxylate | Not Available |

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

isothiazolinones, mixed is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

p-tert-octylphenol ethoxylate is found on the following regulatory lists

Chemical Footprint Project - Chemicals of High Concern List

Positive Control Lysate - Ultra

Issue Date: **25/10/2022**Print Date: **02/11/2023**

EU REACH Regulation (EC) No 1907/2006 - Proposals to identify Substances of Very High Concern: Annex XV reports for commenting by Interested Parties previous consultation

Europe European Chemicals Agency (ECHA) Candidate List of Substances of Very High Concern for Authorisation

Europe Regulation (EC) No 1907/2006 - Annex XIV List of Substances Subject to Authorisation

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

National Inventory Status

Version No: 4.1

| National Inventory | Status |
|---|--|
| Australia - AIIC / Australia Non- Industrial Use | No (isothiazolinones, mixed) |
| Canada - DSL | Yes |
| Canada - NDSL | No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate) |
| China - IECSC | Yes |
| Europe - EINEC / ELINCS / NLP | No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate) |
| Japan - ENCS | No (isothiazolinones, mixed) |
| Korea - KECI | Yes |
| New Zealand - NZIoC | Yes |
| Philippines - PICCS | Yes |
| USA - TSCA | No (isothiazolinones, mixed) |
| Taiwan - TCSI | Yes |
| Mexico - INSQ | No (isothiazolinones, mixed; p-tert-octylphenol ethoxylate) |
| Vietnam - NCI | Yes |
| Russia - FBEPH | Yes |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

SECTION 16 Other information

| - | | |
|---|---------------|------------|
| | Revision Date | 25/10/2022 |
| | Initial Date | 19/07/2022 |

Full text Risk and Hazard codes

| H301 | Toxic if swallowed. | |
|------|---|--|
| H302 | Harmful if swallowed. | |
| H310 | Fatal in contact with skin. | |
| H314 | Causes severe skin burns and eye damage. | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H318 | Causes serious eye damage. | |
| H330 | Fatal if inhaled. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H411 | Toxic to aquatic life with long lasting effects. | |
| | | |

SDS Version Summary

| Version | Date of Update | Sections Updated |
|---------|-------------------|---|
| 3.1 | 31/08/2022 | Composition / information on ingredients - Ingredients |
| 4.1 | 25/10/2022 | Disposal considerations - Disposal, Handling and storage - Storage (storage incompatibility), Handling and storage - Storage (suitable container) |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

Chemwatch: 5555-32 Page 10 of 10

Positive Control Lysate - Ultra

Issue Date: 25/10/2022 Version No: 4.1 Print Date: 02/11/2023

EN 133 Respiratory protective devices

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- ▶ PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ▶ ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit。
- IDLH: Immediately Dangerous to Life or Health Concentrations
 ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- ▶ TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- ▶ BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ AIIC: Australian Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- ▶ NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
 EINECS: European Inventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- ▶ NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ▶ TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.